Product Datasheet

PCDHGB6 Overexpression Lysate NBP2-06772

Unit Size: 0.1 mg

Store at -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-06772

Updated 1/20/2020 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-06772



NBP2-06772

PCDHGB6 Overexpression Lysate

PCDHGB6 Overexpression Lysate					
Product Information					
Unit Size	0.1 mg				
Concentration	The exact concentration of the protein of interest cannot be determined for overexpression lysates. Please contact technical support for more information.				
Storage	Store at -80C. Avoid freeze-thaw cycles.				
Buffer	RIPA buffer				
Target Molecular Weight	97.7 kDa				
Product Description					
Gene ID	56100				
Gene Symbol	PCDHGB6				
Species	Human				
Specificity/Sensitivity	Homo sapiens PCDHGB6, mRNA.				
Immunogen	The lysate was created in HEK293T cells, using plasmid ID RC215316 and based on accession number NP_061749. The protein contains a C-terminal DDK tag.				
Notes	HEK293T cells in 10-cm dishes were transiently transfected with a non-lipid polymer transfection reagent specially designed and manufactured for large volume DNA transfection. Transfected cells were cultured for 48hrs before collection. The cells were lysed in modified RIPA buffer (25mM Tris-HCl pH7.6, 150mM NaCl, 1% NP-40, 1mM EDTA, 1xProteinase inhibitor cocktail mix, 1mM PMSF and 1mM Na3VO4, and then centrifuged to clarify the lysate. Protein concentration was measured by BCA protein assay kit. This product is manufactured by and sold under license from OriGene Technologies and its use is limited solely for research purposes.				
Lysate Type	Overexpression				
Product Application Details					
Application Notes	This product is intended for use as a positive control in Western Blot. You will receive 1 vial of lysate (100ug), 1 vial of empty vector negative control				

Pr	oau	Ct A	Applica	ition	Details	
_			N1 4			

Application Notes	This product is intended for use as a positive control in Western Blot.		
	You will receive 1 vial of lysate (100ug), 1 vial of empty vector negative control (100ug), and 1 vial of 2xSDS sample buffer (250ul).		





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966 novus@novusbio.com

Novus Biologicals Europe

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info@bio-techne.com

Novus Biologicals Canada

461 North Service Road West, Unit B37 Oakville, ON L6M 2V5

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada@novusbio.com

General Contact Information

www.novusbio.com

Technical Support: technical@novusbio.com

Orders: orders@novusbio.com General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Lysates are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-06772

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

