Product Datasheet

SEC22B Overexpression Lysate NBP2-07813

Unit Size: 0.1 mg

Store at -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-07813

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-07813



NBP2-07813

SEC22B Overexpression Lysate

Unit Size 0.1 mg		
ConcentrationThe exact concentration of the protein of interest cannot be determined to overexpression lysates. Please contact technical support for more inform		
StorageStore at -80C. Avoid freeze-thaw cycles.		
Buffer RIPA buffer		
Target Molecular Weight24.4 kDa		
Product Description		
Description SEC22B Transient Overexpression Lysate		
Expression Host: HEK293T		
Plasmid: RC200569		
Accession#: NM_004892		
Protein Tag: C-MYC/DDK		
You will receive 1 vial of lysate (100ug), 1 vial of empty vector negative of (100ug), and 1 vial of 2xSDS sample buffer (250ul). Each vial of cell lysa contains 100ug of total protein (at 1 mg/ml). The 2xSDS Sample Buffer of 4% SDS, 125mM Tris-HCl pH6.8, 10% Glycerol, 0.002% Bromopheno 100mM DTT.	ate consists	
Gene ID 9554		
Gene Symbol SEC22B		
Species Human		
Notes HEK293T cells in 10-cm dishes were transiently transfected with a non-lipolymer transfection reagent specially designed and manufactured for lavolume DNA transfection. Transfected cells were cultured for 48hrs before collection. The cells were lysed in modified RIPA buffer (25mM Tris-HCI 150mM NaCl, 1% NP-40, 1mM EDTA, 1xProteinase inhibitor cocktail mit PMSF and 1mM Na3VO4, and then centrifuged to clarify the lysate. Protection was measured by BCA protein assay kit.	orge pre pH7.6, x, 1mM	
Lysate Type Overexpression		
Product Application Details		
Applications Western Blot		
Recommended Dilutions Western Blot		



Application Notes

This product is intended for use as a positive control in Western Blot. Overexpression of the target protein was confirmed using an antibody to DDK (FLAG) epitope tag (cat# NBP1-71705) present on the protein construct.

Each vial of cell lysate contains 100ug of total protein which should be sufficient for 20-50 reactions. Depending on over-expression level, antibody affinity and detection system, some lysates can go as low as 0.1 ug per load. We recommend starting with 5ug of cell lysate. Add an equal amount of cell lysate and 2X SDS Sample buffer and boil the SDS samples for 10 minutes before loading.

Images

Western Blot: SEC22B Overexpression Lysate (Adult Normal) [NBP2-07813] Left-Empty vector transfected control cell lysate (HEK293 cell lysate); Right -Over-expression Lysate for SEC22B.

158-106-79. 48 35 23

www.novusbio.com





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-07813

NBP2-23454	Recombinant Human SEC22B His Protein
NB100-1965	Calnexin Antibody - BSA Free
NB100-91277	SEC22B Antibody - Azide and BSA Free
MAB6117	VAMP-7 Antibody (549115)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Lysates are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-07813

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

