Product Datasheet

TCERG1 Overexpression Lysate NBP2-08539

Unit Size: 0.1 mg

Store at -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-08539

Updated 3/10/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-08539



NBP2-08539

TCERG1 Overexpression Lysate

Product Information			
Unit Size	0.1 mg		
Concentration	The exact concentration of the protein of interest cannot be determined for overexpression lysates. Please contact technical support for more information.		
Storage	Store at -80C. Avoid freeze-thaw cycles.		
Buffer	RIPA buffer		
Target Molecular Weight	121.5 kDa		
Product Description			
Description	TCERG1 Transient Overexpression Lysate		
	Expression Host: HEK293T		
	Plasmid: RC218654		
	Accession#: NM_001040006		
	Protein Tag: C-MYC/DDK		
	You will receive 1 vial of lysate (100ug), 1 vial of empty vector negative control (100ug), and 1 vial of 2xSDS sample buffer (250ul). Each vial of cell lysate contains 100ug of total protein (at 1 mg/ml). The 2xSDS Sample Buffer consists of 4% SDS, 125mM Tris-HCI pH6.8, 10% Glycerol, 0.002% Bromophenol blue, 100mM DTT.		
Gene ID	10915		
Gene Symbol	TCERG1		
Species	Human		
Notes	HEK293T cells in 10-cm dishes were transiently transfected with a non-lipid polymer transfection reagent specially designed and manufactured for large volume DNA transfection. Transfected cells were cultured for 48hrs before collection. The cells were lysed in modified RIPA buffer (25mM Tris-HCl pH7.6, 150mM NaCl, 1% NP-40, 1mM EDTA, 1xProteinase inhibitor cocktail mix, 1mM PMSF and 1mM Na3VO4, and then centrifuged to clarify the lysate. Protein concentration was measured by BCA protein assay kit.This product is manufactured by and sold under license from OriGene Technologies and its use is limited solely for research purposes.		
Lysate Type	Overexpression		
Product Application Details			
Applications	Western Blot		
Recommended Dilutions	Western Blot		



Application Notes	This product is intended for use as a p	positive cont	rol in Western Blot.
	Each vial of cell lysate contains 100ug for 20-50 reactions. Depending on over detection system, some lysates can g recommend starting with 5ug of cell ly and 2X SDS Sample buffer and boil the loading.	er-expressio o as low as sate. Add a	n level, antibody affinity and 0.1 ug per load. We n equal amount of cell lysate
Images			
Western Blot: TCERG1 Overexpression Lysate (Adult Normal) [N 08539] Left-Empty vector transfected control cell lysate (HEK293		158-	
lysate); Right -Over-express		106-	-
		106 — 79 —	
		48 —	
		35-	
		23 -	





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-08539

NBP2-57767PEP	TCERG1 Recombinant Protein Antigen
NB200-103	p53 Antibody (PAb 240) - BSA Free
NBP2-20584	TCERG1 Antibody
NB110-60531	Apolipoprotein E/ApoE Antibody (WUE-4) - BSA Free

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Lysates are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-08539

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

