# **Product Datasheet**

# PU.1/Spi-1 Overexpression Lysate NBP2-10658

Unit Size: 0.1 mg

Store at -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-10658

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-10658



PU.1/Spi-1 Overexpression Lysate				
Product Information				
Unit Size	0.1 mg			
Concentration	The exact concentration of the protein of interest cannot be determined for overexpression lysates. Please contact technical support for more information.			
Storage	Store at -80C. Avoid freeze-thaw cycles.			
Buffer	RIPA buffer			
Target Molecular Weight	31 kDa			
Product Description				
<b>Product Description</b>				
Product Description  Description	PU.1/Spi-1 Transient Overexpression Lysate			
•	PU.1/Spi-1 Transient Overexpression Lysate  Expression Host: HEK293T			
•				

(100ug), and 1 vial of 2xSDS sample buffer (250ul). Each vial of cell lysate
contains 100ug of total protein (at 1 mg/ml). The 2xSDS Sample Buffer consists
of 4% SDS, 125mM Tris-HCl pH6.8, 10% Glycerol, 0.002% Bromophenol blue,
100mM DTT.

You will receive 1 vial of lysate (100ug), 1 vial of empty vector negative control

Protein Tag: C-MYC/DDK

RESS	
0000	

Gene Symbol	SPI1

**Gene ID** 

Sı	pecies	Human
<b>9</b>	Colco	Hullian

I vsate Type	Overeypression
Lysate Type	Overexpression

### **Product Application Details Applications** Western Blot Western Blot **Recommended Dilutions**




# **Application Notes**

This product is intended for use as a positive control in Western Blot. Overexpression of the target protein was confirmed using an antibody to DDK (FLAG) epitope tag (cat# NBP1-71705) present on the protein construct.

Each vial of cell lysate contains 100ug of total protein which should be sufficient for 20-50 reactions. Depending on over-expression level, antibody affinity and detection system, some lysates can go as low as 0.1 ug per load. We recommend starting with 5ug of cell lysate. Add an equal amount of cell lysate and 2X SDS Sample buffer and boil the SDS samples for 10 minutes before loading.

# **Images**

Western Blot: PU.1/Spi1 Overexpression Lysate (Adult Normal) [NBP2-10658] Left-Empty vector transfected control cell lysate (HEK293 cell lysate); Right -Over-expression Lysate for PU.1/Spi1.





# Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

# **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

# **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

# **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

# **Products Related to NBP2-10658**

NBP2-51976-0.05mg Recombinant Human PU.1/Spi-1 His Protein

210-TA-005 TNF-alpha [Unconjugated]

NBP2-27163 PU.1/Spi-1 Antibody

7954-GM-010/CF GM-CSF [Unconjugated]

## Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Lysates are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-10658

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

