# **Product Datasheet**

# IL-17B Antibody (MM0373-3D62) - Azide and BSA Free NBP2-11672

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-11672

Updated 4/20/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-11672



## NBP2-11672


IL-17B Antibody (MM0373-3D62) - Azide and BSA Free

Product Information	
Unit Size	0.1 mg
Concentration	LYOPH mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	MM0373-3D62
Preservative	No Preservative
Reconstitution Instructions	Reconstitute with sterilized PBS to a final concentration of 0.5 mg/ml.
Isotype	lgG2
Purity	Protein G purified
Buffer	Lyophilized from a 0.2 um filtered solution in PBS. 0.025 mg size is provided in liquid form, PBS
Product Description	
Host	Mouse
Gene ID	27190
Gene Symbol	IL17B
Species	Human
Specificity/Sensitivity	Detects human IL-17B, but not IL-17A, C E or F.
Immunogen	Human recombinant IL-17B
Product Application Details	
Applications	Western Blot, Flow Cytometry, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready
Decempeded Dilutions	Western Diet 1.500 1.2000 Flow Cytematry 1.10 1.1000 Immunahistashamistry

Product Application Details	
	Western Blot, Flow Cytometry, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready
	Western Blot 1:500-1:2000, Flow Cytometry 1:10-1:1000, Immunohistochemistry, Immunohistochemistry-Paraffin 1:10-1:500, CyTOF-ready
Application Notes	This antibody is Cytof ready.

## **Images**

Immunohistochemistry-Paraffin: IL-17B Antibody (MM0373-3D62) [NBP2 -11672] - 10% Buffer formalin fixed and parffine embedded human placental tissue section (4um) is subjected IHC staining using NBP2-11672. Tissue section was pretreated in citric buffer (ph6.0) with microwave for antige retrieval before IHC is applied.







# **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

# Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

## **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-11672

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

