

Product Datasheet

CCL24/Eotaxin-2/MPIF-2 Antibody (RM0176-8M17) - Azide and BSA Free NBP2-12109

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-12109

Updated 4/7/2025 v.20.1

**Earn rewards for product
reviews and publications.**

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-12109



NBP2-12109

CCL24/Eotaxin-2/MPIF-2 Antibody (RM0176-8M17) - Azide and BSA Free

Product Information	
Unit Size	0.1 mg
Concentration	LYOPH mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	RM0176-8M17
Preservative	No Preservative
Reconstitution Instructions	Reconstitute with sterilized PBS to a final concentration of 0.5 mg/ml.
Isotype	IgG2
Purity	Protein A or G purified
Buffer	Lyophilized from a 0.2 um filtered solution in PBS. 0.025 mg size is provided in liquid form, PBS

Product Description	
Host	Rat
Gene ID	6369
Gene Symbol	CCL24
Species	Human, Mouse
Reactivity Notes	Human reactivity reported in scientific literature (PMID: 24080254)
Immunogen	Mouse recombinant CCL24/Eotaxin-2/MPIF-2

Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Block/Neutralize
Recommended Dilutions	Western Blot 1:500-1:1000, Immunohistochemistry 1:10-1:500, Immunohistochemistry-Paraffin 1:10-1:500, Block/Neutralize
Application Notes	Use in Immunohistochemistry-Paraffin reported in scientific literature (PMID 24080254)

Publications

Jo WS, Kang S, Jeong SK et al. Low Dose Rate Radiation Regulates M2-like Macrophages in an Allergic Airway Inflammation Mouse Model Dose-response : a publication of International Hormesis Society 2022-08-18 [PMID: 36003321] (IHC-P, Mouse)

Ciccio F, Alessandro R, Rizzo A et al. Macrophage phenotype in the subclinical gut inflammation of patients with ankylosing spondylitis. Rheumatology (Oxford) 2014-01-01 [PMID: 24080254] (IHC-P, Human)

Details:
rat anti-human CCL24 /Eotaxin 2 antibody used for IHC-P on paraffin-embedded sequential sections from patients with ankylosing spondylitis. Primary antibody used at 1:100 dilution, followed by goat anti-rat Cy5 secondary antibody (FIG. 4J and 4K).





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-
techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-12109

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

