# **Product Datasheet**

# GSTO2 Antibody NBP2-14075

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-14075

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-14075



## NBP2-14075

**GSTO2** Antibody

OOTOZ Antibody	
Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol
Product Description	
Host	Rabbit
Gene ID	119391
Gene Symbol	GSTO2
Species	Human
Immunogen	This antibody was developed against a recombinant protein corresponding to the


<b>Product Application Details</b>	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:50 - 1:200, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:50 - 1:200
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use PFA/Triton X-100.

## **Images**

Western Blot: GSTO2 Antibody [NBP2-14075] - Lane 1: Marker [kDa] 250, 130, 95, 72, 55, 36, 28, 17, 10. Lane 2: Human cell line RT-4. Lane 3: Human cell line U-251MG sp. Lane 4: Human plasma (IgG/HSA depleted). Lane 5: Human liver tissue


amino acids:

FG




DVYGILDCVSHTPALRLWISAMKWDPTVCALLMDKSIFQGFLNLYFQNNPNAFD


Immunocytochemistry/Immunofluorescence: GSTO2 Antibody [NBP2-14075] - Immunofluorescent staining of human cell line MCF7 shows localization to nucleus & nucleoli.




Immunohistochemistry-Paraffin: GSTO2 Antibody [NBP2-14075] - Staining of human fallopian tube shows moderate to strong nuclear positivity in glandular cells.




Immunohistochemistry-Paraffin: GSTO2 Antibody [NBP2-14075] - Staining of human prostate shows strong nuclear positivity in glandular cells.




Immunohistochemistry-Paraffin: GSTO2 Antibody [NBP2-14075] - Staining of human testis shows moderate nuclear positivity in a subset of cells in seminiferous ducts.



Immunohistochemistry-Paraffin: GSTO2 Antibody [NBP2-14075] - Staining of human prostate shows moderate to strong nuclear positivity in glandular cells.



Immunohistochemistry-Paraffin: GSTO2 Antibody [NBP2-14075] - Staining of human skeletal muscle shows no positivity in myocytes as expected.





# Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

## **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP2-14075**

NBP2-14075PEP GSTO2 Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-14075

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

