

Product Datasheet

Bromodeoxyuridine/BrdU Antibody NBP2-14890

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 9

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-14890

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-14890




NBP2-14890**Bromodeoxyuridine/BrdU Antibody**

Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.025% Proclin 300
Isotype	IgG
Purity	Antigen Affinity-purified
Buffer	PBS, 20% Glycerol
Product Description	
Host	Rabbit
Species	All Species
Marker	Proliferation Marker
Immunogen	The immunogen used to generate this antibody corresponds to Bromodeoxyuridine/BrdU
Product Application Details	
Applications	Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin
Recommended Dilutions	Flow Cytometry 1:50-1:200, Immunohistochemistry 1:100-1:1000, Immunocytochemistry/ Immunofluorescence 1:100-1:1000, Immunohistochemistry-Paraffin 1:100-1:1000, Immunohistochemistry-Frozen Assay dependent




Images

Immunocytochemistry/Immunofluorescence: Bromodeoxyuridine/BrdU Antibody [NBP2-14890] - HeLa cells mock (left) and treated with 50 μ M BrdU for 24 hr (right) were fixed in 4% paraformaldehyde at RT for 15 min. Green: BrdU protein stained by BrdU antibody. Blue: Hoechst 33342 staining. Scale bar = 10 μ m



Immunohistochemistry-Paraffin: Bromodeoxyuridine/BrdU Antibody [NBP2-14890] - Mouse intestinal tissue pulsed with BrdU. BrdU stained by BrdU antibody diluted at 1:100. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min




Flow Cytometry: Bromodeoxyuridine/BrdU Antibody [NBP2-14890] - BrdU antibody detects BrdU protein from HeLa treated with 10 μ M BrdU for 30 minutes and fixed in 4% paraformaldehyde at 4C for 15 minutes by flow cytometry analysis.

Black: Unlabelled sample was used as a control.

Red: BrdU antibody

Acquisition of 20,000 events were collected using a Dylight 488-conjugated secondary antibody for FACS analysis.



Publications

Laura Lecce, Yang Xu, Bhargavi V'Gangula, Nirupama Chandel, Venu Pothula, Axelle Caudrillier, Maria Paola Santini, Valentina d'Escamard, Delaine K. Ceholski, Przemek A. Gorski, Lijiang Ma, Simon Koplev, Martin Mæng Bjørklund, Johan L.M. Björkegren, Manfred Boehm, Jacob Fog Bentzon, Valentin Fuster, Ha Won Kim, Neal L. Weintraub, Andrew H. Baker, Emily Bernstein, Jason C. Kovacic Histone deacetylase 9 promotes endothelial-mesenchymal transition and an unfavorable atherosclerotic plaque phenotype *The Journal of Clinical Investigation* 2021-08-02 [PMID: 34338228]

Kim J, Kim S, Lee SY et al. Partial in vivo reprogramming enables injury-free intestinal regeneration via autonomous Ptgs1 induction *Science advances* 2023-11-24 [PMID: 38000027]

Gahankari A, Dong C, Bartoletti G et al. Deregulated Rac1 Activity in Neural Crest Controls Cell Proliferation, Migration and Differentiation During Midbrain Development *Frontiers in Cell and Developmental Biology* 2021-09-07 [PMID: 34557485] (Electron Microscopy)

Kim J, Kim S, Lee S et al. Alliin Enriched Standardized Fraction of *Allium Hookeri* Regulates the Glucose Homeostasis Via Upregulating Hepatic Glutathione Pool *bioRxiv* 2023-02-26 (IHC, Mouse)

Martin-Batista E, Maglio LE, Armas-Capote N Neuronal kinase SGK1. 1 protects against brain damage after status epilepticus *Neurobiol Dis* 2021-02-27 [PMID: 33639207]

Upadhyay R, Batuman V Aristolochic acid I induces proximal tubule injury through ROS/HMGB1/mt DNA mediated activation of TLRs *Journal of cellular and molecular medicine* 2022-08-01 [PMID: 35765703]

Iyer N, Grizotte-Lake M, Duncan K et al. Epithelium intrinsic vitamin A signaling co-ordinates pathogen clearance in the gut via IL-18 *PLoS Pathog.* 2020-04-01 [PMID: 32330185] (IHC-P)

Chen J, Wang ZZ, Zhang S et al. The effects of glucocorticoids on depressive and anxiety-like behaviors, mineralocorticoid receptor-dependent cell proliferation regulates anxiety-like behaviors *Behav. Brain Res.* 2019-01-14 [PMID: 30654121] (ICC/IF, Rat)

Yang T, Moore M, He F Pten regulates neural crest proliferation and differentiation during mouse craniofacial development *Dev Dyn.* 2018-02-01 [PMID: 29115005]

Details:

Citation using the Alkaline Phosphatase form of this antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-14890

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
NBP3-07125	Bromodeoxyuridine/BrdU MCF-7 Cell Line Slides (Adult Adenocarcinoma)- Paraffin

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-14890

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

