

Product Datasheet

ACP2 Antibody NBP2-15250

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-15250

Updated 3/28/2018 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-15250




NBP2-15250

ACP2 Antibody


| Product Information | |
|-----------------------------|---|
| Unit Size | 0.1 ml |
| Concentration | Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services. |
| Storage | Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles. |
| Clonality | Polyclonal |
| Preservative | 0.01% Thimerosal |
| Isotype | IgG |
| Purity | Immunogen affinity purified |
| Buffer | 0.1M Tris (pH 7.0), 0.1M Glycine and 20% Glycerol |
| Target Molecular Weight | 48 kDa |
| Product Description | |
| Host | Rabbit |
| Gene ID | 53 |
| Gene Symbol | ACP2 |
| Species | Human |
| Reactivity Notes | Chimpanzee (100%), Mouse (87%), Rat (87%). |
| Immunogen | Recombinant protein encompassing a sequence within the center region of human ACP2. The exact sequence is proprietary. |
| Product Application Details | |
| Applications | Western Blot, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin |
| Recommended Dilutions | Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000, Immunocytochemistry/Immunofluorescence 1:100-1:1000, Immunohistochemistry-Paraffin 1:100-1:1000 |
| Application Notes | Negative IF usage reported by customer review. |

Images


Western Blot: ACP2 Antibody [NBP2-15250] - Sample (30 ug of whole cell lysate) A: A431 10% SDS PAGE Lysosomal acid phosphatase2 antibody, antibody diluted at 1:1000.



Immunocytochemistry/Immunofluorescence: ACP2 Antibody [NBP2-15250] - Analysis of methanol-fixed HeLa, using ACP2 antibody at 1:200 dilution.



Immunohistochemistry-Paraffin: ACP2 Antibody [NBP2-15250] - ACP2 antibody [N2C3] detects ACP2 protein at lysosome on Ca922 xenograft by immunohistochemical analysis. Sample: Paraffin-embedded Ca922 xenograft. ACP2 antibody [N2C3] dilution: 1:500.





Novus Biologicals USA

8100 Southpark Way, A-8
Littleton, CO 80120
USA

Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
novus@novusbio.com

Novus Biologicals Canada

461 North Service Road West, Unit B37
Oakville, ON L6M 2V5
Canada

Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada@novusbio.com

Novus Biologicals Europe

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: technical@novusbio.com
Orders: orders@novusbio.com
General: novus@novusbio.com

Products Related to NBP2-15250

| | |
|------------------|--|
| HAF008 | Goat anti-Rabbit IgG Secondary Antibody [HRP (Horseradish Peroxidase)] |
| NB7156 | Goat anti-Rabbit IgG (H+L) Secondary Antibody |
| NBP2-24891 | Rabbit IgG Isotype Control |
| NBP2-51966-0.1mg | Recombinant Human ACP2 Protein |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-15250

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

