

Product Datasheet

TACE/ADAM17 Antibody - BSA Free NBP2-15281

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 3

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-15281

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-15281



NBP2-15281

TACE/ADAM17 Antibody - BSA Free

Product Information

Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.025% Proclin 300
Isotype	IgG
Purity	Antigen Affinity-purified
Buffer	PBS (pH 7), 40% Glycerol
Target Molecular Weight	93 kDa

Product Description


Description	Novus Biologicals Knockout (KO) Validated Rabbit TACE/ADAM17 Antibody - BSA Free (NBP2-15281) is a polyclonal antibody validated for use in IHC and WB. Anti-TACE/ADAM17 Antibody: Cited in 3 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	6868
Gene Symbol	ADAM17
Species	Human, Mouse, Rat
Reactivity Notes	Chicken (83%).
Immunogen	Recombinant protein encompassing a sequence within the C-terminus region of human TACE/ADAM17. The exact sequence is proprietary.

Product Application Details


Applications	Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Knockout Validated
Recommended Dilutions	Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000, Immunohistochemistry-Paraffin 1:100-1:1000, Knockout Validated

Images


Western Blot: TACE/ADAM17 Antibody [NBP2-15281] - Wild-type (WT) and ADAM17 knockout (KO) HeLa cell extracts (30 ug) were separated by 7.5% SDS-PAGE, and the membrane was blotted with ADAM17 antibody [C2C3], C-term. HRP-conjugated anti-rabbit IgG antibody (NBP2-19301) was used to detect the primary antibody, and the signal was developed with Trident ECL plus-Enhanced.




Western Blot: TACE/ADAM17 Antibody [NBP2-15281] - Whole cell extract (30 ug) was separated by 7.5% SDS-PAGE, and the membrane was blotted with ADAM17 antibody [C2C3], C-term diluted at 1:500.




Immunohistochemistry-Paraffin: TACE/ADAM17 Antibody [NBP2-15281] - Human breast carcinoma dilution: 1:250. ADAM17 antibody [C2C3], C-term dilution: 1:250. Antigen Retrieval: Trilogy™ (EDTA based, pH 8.0) buffer, 15min.




Western Blot: TACE/ADAM17 Antibody [NBP2-15281] - 30 ug K562 whole cell lysate/extract, 7.5% SDS-PAGE gel, dilution 1:500.




Western Blot: TACE/ADAM17 Antibody [NBP2-15281] - Whole cell extract (30 ug) was separated by 7.5% SDS-PAGE, and the membrane was blotted with ADAM17 antibody [C2C3], C-term diluted at 1:500.



Western Blot: TACE/ADAM17 Antibody [NBP2-15281] - Various whole cell extracts (30 ug) were separated by 7.5% SDS-PAGE, and the membrane was blotted with TACE/ADAM17 antibody [C2C3], C-term (NBP2-15281) diluted at 1:500. The HRP-conjugated anti-rabbit IgG antibody was used to detect the primary antibody, and the signal was developed with Trident ECL plus-Enhanced.



Western Blot: TACE/ADAM17 Antibody [NBP2-15281] - Wild-type (WT) and ADAM17 knockout (KO) HeLa (30 ug) were separated by 7.5% SDS-PAGE, and the membrane was blotted with ADAM17 antibody [C2C3], C-term diluted at 1:500. The HRP-conjugated anti-rabbit IgG antibody was used to detect the primary antibody.



Publications

Balasubramanian N, James TD, Selvakumar GP et al. Repeated ethanol exposure and withdrawal alters angiotensin-converting enzyme 2 expression in discrete brain regions: Implications for SARS-CoV-2 neuroinvasion Alcoholism: Clinical and Experimental Research 2023-02-01 [PMID: 36529893] (Western Blot, Immunohistochemistry-Paraffin, Human)

Y Zheng, NZ Prince, LN Peralta Ma, S Ahmed, J Garssen, P Perez Pard, AD Kraneveld The Autism Spectrum Disorder-Associated Bacterial Metabolite p-Cresol Derails the Neuroimmune Response of Microglial Cells Partially via Reduction of ADAM17 and ADAM10 International Journal of Molecular Sciences, 2022-09-20;23(19):. 2022-09-20 [PMID: 36232346] (Western Blot, Immunohistochemistry-Paraffin, Human)

Sharma A, Bender S, Zimmermann M et al. Secretome Signature Identifies ADAM17 as Novel Target for Radiosensitization of Non-Small Cell Lung Cancer. Clin. Cancer Res. 2016-04-13 [PMID: 27076628] (IHC-P, WB, Human)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-15281

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
NBP1-77044PEP	TACE/ADAM17 Antibody Blocking Peptide

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-15281

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

