Product Datasheet

ATPG Antibody NBP2-15525

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-15525

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-15525



NBP2-15525


ATPG Antibody

ATT G Antibody	
Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.01% Thimerosal
Isotype	IgG
Purity	Antigen Affinity-purified
Buffer	0.1M Tris (pH 7), 0.1M Glycine, 20% Glycerol
Target Molecular Weight	33 kDa
Product Description	
Host	Rabbit
Gene ID	509
Gene Symbol	ATP5F1C
Species	Human, Mouse, Rat, Zebrafish
Reactivity Notes	Bovine (86%).
Immunogen	Recombinant protein encompassing a sequence within the center region of human ATPG. The exact sequence is proprietary.
Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation
Recommended Dilutions	Western Blot 1:1000-1:10000, Immunohistochemistry 1:100-1:1000, Immunoprecipitation Assay dependent, Immunohistochemistry-Paraffin 1:100-


Images

Western Blot: ATPG Antibody [NBP2-15525] - A: HeLa 12% SDS PAGE ATP synthase gamma(mitochondrial) antibody diluted at 1:1000 The HRP-conjugated anti-rabbit IgG antibody (NBP2-19301) was used to detect the primary antibody.


1:1000




Immunohistochemistry-Paraffin: ATPG Antibody [NBP2-15525] - Paraffin-embedded mouse cervix. ATP synthase gamma antibody dilution: 1:500.




Western Blot: ATPG Antibody [NBP2-15525] - Sample (50 ug of whole cell lysate) A: Mouse Brain, 12% SDS PAGE gel, diluted at 1:1000.



Western Blot: ATPG Antibody [NBP2-15525] - A. 50 ug rat kidney lysate/extract 12% SDS-PAGE ATP synthase gamma antibody dilution: 1:5000 The HRP-conjugated anti-rabbit IgG antibody (NBP2-19301) was used to detect the primary antibody.



Immunohistochemistry-Paraffin: ATPG Antibody [NBP2-15525] - Paraffin-embedded mouse urinary bladder. ATP synthase gamma antibody dilution: 1:500.



Publications

Song KH, Kim JH, Lee YH et al. Mitochondrial reprogramming via ATP5H loss promotes multimodal cancer therapy resistance J. Clin. Invest. 2018-08-31 [PMID: 30124467] (Mouse)





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-15525

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP2-22699 Recombinant Human ATPG His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-15525

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

