Product Datasheet

beta Tubulin Antibody NBP2-15584

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-15584

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-15584




NBP2-15584

beta Tubulin Antibody


| beta Tubulin Antibody | |
|-----------------------------|--|
| Product Information | |
| Unit Size | 0.1 ml |
| Concentration | Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services. |
| Storage | Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles. |
| Clonality | Polyclonal |
| Preservative | 0.01% Thimerosal |
| Isotype | IgG |
| Purity | Antigen Affinity-purified |
| Buffer | PBS (pH 7), 20% Glycerol, 1% BSA |
| Target Molecular Weight | 50 kDa |
| Product Description | |
| Host | Rabbit |
| Gene ID | 203068 |
| Gene Symbol | TUBB |
| Species | Human, Mouse |
| Reactivity Notes | Chimpanzee (100%). |
| Marker | Microtubule Marker |
| Immunogen | Recombinant protein encompassing a sequence within the center region of human beta Tubulin. The exact sequence is proprietary. |
| Product Application Details | |
| Applications | Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin |
| Recommended Dilutions | Western Blot 1:1000-1:10000, Immunohistochemistry 1:100-1:1000, Immunocytochemistry/ Immunofluorescence 1:100-1:1000, Immunohistochemistry-Paraffin 1:100-1:1000 |
| 4 | |

Images


Western Blot: beta Tubulin Antibody [NBP2-15584] - ample (whole cell lysate) A: 293T 20ug B: 293T 10ug C: 293T 5ug 10% SDS PAGE diluted at 1:10000




Immunocytochemistry/Immunofluorescence: beta Tubulin Antibody [NBP2-15584] - Analysis of methanol-fixed HeLa, using antibody at 1:500 dilution.




Costained with Hoechst 33342




Immunohistochemistry-Paraffin: beta Tubulin Antibody [NBP2-15584] - HeLa xenograft, using beta Tubulin(GTX112659) antibody at 1:500 dilution. Antigen Retrieval: TrilogyTM (EDTA based) buffer, 15min



Western Blot: beta Tubulin Antibody [NBP2-15584] - Sample (30 ug of whole cell lysate) A: A549 10% SDS PAGE gel, diluted at 1:1000.



Western Blot: beta Tubulin Antibody [NBP2-15584] - Sample (30 ug of whole cell lysate) A: NIH-3T3, B: JC, C: BCL-1, D: C2C12, E: Raw264. 7 10% SDS PAGE NBP2-15584 diluted at 1:1000.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-15584

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NB600-936PEP beta Tubulin Antibody Blocking Peptide

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-15584

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

