# **Product Datasheet**

## CDO Antibody - BSA Free NBP2-15849

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-15849

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-15849



## NBP2-15849


CDO Antibody - BSA Free

Product Information		
0.1 ml		
Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.		
Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.		
Polyclonal		
0.01% Thimerosal		
IgG		
Antigen Affinity-purified		
0.1M Tris (pH 7), 0.1M Glycine, 10% Glycerol		
139 kDa		
Product Description		
Novus Biologicals Rabbit CDO Antibody - BSA Free (NBP2-15849) is a polyclonal antibody validated for use in IHC, WB and IP. All Novus Biologicals antibodies are covered by our 100% guarantee.		
Rabbit		
50937		
CDON		
Human, Mouse		
Rat (82%), Bovine (85%).		
Recombinant protein encompassing a sequence within the N-terminus region of human CDO. The exact sequence is proprietary.		
Product Application Details		
Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Immunoprecipitation		
Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000, Immunoprecipitation Validated for Immunoprecipitation from a verified customer review, Immunohistochemistry-Paraffin 1:100-1:1000		


٧	ľ

### **Images**


Western Blot: CDO Antibody [NBP2-15849] - Various whole cell extracts (30 ug) were separated by 5% SDS-PAGE, and the membrane was blotted with CDO antibody [N1N2], N-term diluted at 1:500.



Immunohistochemistry-Paraffin: CDO Antibody [NBP2-15849] - Human breast cancer, using CDO antibody at 1:250 dilution. Antigen Retrieval: Trilogy™ (EDTA based, pH 8.0) buffer, 15min.



Western Blot: CDO Antibody [NBP2-15849] - Analysis of CDO in immunoprecipitated samples. Primary antibody dilution for Western Blot: 1:1000. Primary antibody dilution for Immunoprecipitation: 1:100. Another CDO antibody is used as a comparison. Image from verified customer review.





### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP2-15849**

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP1-85700PEP CDO Recombinant Protein Antigen

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-15849

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

