

Product Datasheet

DDX3 Antibody NBP2-16133

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-16133

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-16133



NBP2-16133**DDX3 Antibody****Product Information**

Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.025% Proclin 300
Isotype	IgG
Purity	Antigen Affinity-purified
Buffer	PBS (pH 7), 20% Glycerol
Target Molecular Weight	73 kDa

Product Description


Host	Rabbit
Gene ID	1654
Gene Symbol	DDX3X
Species	Human, Mouse
Immunogen	Recombinant protein encompassing a sequence within the center region of human DDX3. The exact sequence is proprietary.

Product Application Details


Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:500-1:3000, Immunohistochemistry 10 - 1:500, Immunocytochemistry/ Immunofluorescence 1:100-1:1000, Immunohistochemistry-Paraffin 1:100-1:1000

Images


Immunocytochemistry/ Immunofluorescence: DDX3 Antibody [NBP2-16133] - DDX3 antibody [N3C2], Internal detects DDX3 protein at cytoplasm and nucleus by immunofluorescent analysis. Sample: SK-N-SH cells were fixed in 4% paraformaldehyde at RT for 15 min. Green: DDX3 stained by DDX3 antibody [N3C2], Internal (NBP2-16133) diluted at 1:500. Blue: Hoechst 33342 staining. Scale bar= 10 um.




Western Blot: DDX3 Antibody [NBP2-16133] - Various whole cell extracts (30 ug) were separated by 7.5% SDS-PAGE, and the membrane was blotted with DDX3 antibody [N3C2], Internal (NBP2-16133) diluted at 1:2000. The HRP-conjugated anti-rabbit IgG antibody was used to detect the primary antibody.




Western Blot: DDX3 Antibody [NBP2-16133] - Sample (20 ug of whole cell lysate) A: human ESC 7. 5% SDS PAGE gel, diluted at 1:2000.




Immunocytochemistry/Immunofluorescence: DDX3 Antibody [NBP2-16133] - Analysis of paraformaldehyde-fixed Human ESC, using antibody at 1:200 dilution.



Immunohistochemistry-Paraffin: DDX3 Antibody [NBP2-16133] - DDX3 antibody [N3C2], Internal detects DDX3 protein at cytoplasm and nucleus by immunohistochemical analysis. Sample: Paraffin-embedded human breast carcinoma. DDX3 stained by DDX3 antibody [N3C2], Internal (NBP2-16133) diluted at 1:500. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min



Western Blot: DDX3 Antibody [NBP2-16133] - U87-MG whole cell and cytoplasm extracts (30 ug) were separated by 7.5% SDS-PAGE, and the membrane was blotted with DDX3 antibody [N3C2], Internal (NBP2-16133) diluted at 1:2000.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-16133

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
464-SH-025	Sonic Hedgehog/Shh [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-16133

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

