# **Product Datasheet**

# HSD17B3 Antibody NBP2-16884

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-16884

Updated 10/23/2024 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-16884



## NBP2-16884


HSD17B3 Antibody

Product Information	
0.1 ml	
Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.	
Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.	
Polyclonal	
0.025% Proclin 300	
IgG	
Antigen Affinity-purified	
PBS (pH 7), 20% Glycerol, 1% BSA	
35 kDa	
Rabbit	
3293	
HSD17B3	
Human, Mouse, Rat	
Recombinant protein encompassing a sequence within the center region of human HSD17B3. The exact sequence is proprietary.	
Product Application Details	
Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin	
Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000, Immunocytochemistry/ Immunofluorescence 1:100-1:1000, Immunohistochemistry-Paraffin 1:100-1:1000	




#### **Images**

Immunohistochemistry-Paraffin: HSD17B3 Antibody [NBP2-16884] - Human hepatoma, using HSD17B3 antibody antibody at 1:500 dilution. Antigen Retrieval: Trilogy™ (EDTA based, pH 8.0) buffer, 15min




Immunocytochemistry/Immunofluorescence: HSD17B3 Antibody [NBP2-16884] - HeLa cells were fixed in ice-cold MeOH for 5 min. Green: HSD17B3 protein stained by HSD17B3 antibody diluted at 1:500. Blue: Hoechst 33342 staining.






Western Blot: HSD17B3 Antibody [NBP2-16884] - Various whole cell extracts (30 ug) were separated by 12% SDS-PAGE, and the membrane was blotted with HSD17B3 antibody (NBP2-16884) diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody was used to detect the primary antibody.



Western Blot: HSD17B3 Antibody [NBP2-16884] - Various tissue extracts (50 ug) were separated by 12% SDS-PAGE, and the membrane was blotted with HSD17B3 antibody (NBP2-16884) diluted at 1:500. The HRP-conjugated anti-rabbit IgG antibody was used to detect the primary antibody.





### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP2-16884**

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

H00003293-P01-10ug Recombinant Human HSD17B3 GST (N-Term) Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-16884

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

