

Product Datasheet

MST2/STK3 Antibody NBP2-19421

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-19421

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-19421




NBP2-19421**MST2/STK3 Antibody**

Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.01% Thimerosal
Isotype	IgG
Purity	Antigen Affinity-purified
Buffer	PBS (pH 7), 20% Glycerol
Target Molecular Weight	56 kDa
Product Description	
Host	Rabbit
Gene ID	6788
Gene Symbol	STK3
Species	Human
Immunogen	Recombinant protein encompassing a sequence within the center region of human MST2/STK3. The exact sequence is proprietary.
Product Application Details	
Applications	Western Blot, Immunoprecipitation
Recommended Dilutions	Western Blot 1:500-1:10000, Immunoprecipitation 1:100-1:500




Images


Western Blot: MST2/STK3 Antibody [NBP2-19421] - STK3 antibody detects STK3 protein by western blot analysis. Various whole cell extracts (30 ug) were separated by 10% SDS-PAGE, and the membrane was blotted with STK3 antibody diluted by 1:1000.




Western Blot: MST2 Antibody [NBP2-19421] - Sample (30 ug of whole cell lysate) A: Non-transfected 293T lysates B: STK3 transfected 293T lysates 7. 5% SDS PAGE gel, diluted at 1:5000.



Western Blot: MST2 Antibody [NBP2-19421] - Sample (30 ug of whole cell lysate) A: THP-1 B: NCI-H929 7. 5% SDS PAGE gel, diluted at 1:1000.



Western Blot: MST2/STK3 Antibody [NBP2-19421] - STK3 antibody immunoprecipitates STK3 protein in IP experiments. IP samples: HeLa whole cell extract A. Control with 4 ug of preimmune Rabbit IgG. B. Immunoprecipitation of STK3 protein by 4 ug STK3 antibody 7.5 % SDS-PAGE. The immunoprecipitated STK3 protein was detected by STK3 antibody diluted at 1:500. Anti-rabbit IgG was used as a secondary reagent





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-19421

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
NBP2-53049-50ug	Recombinant Human MST2/STK3 His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-19421

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

