

Product Datasheet

PBEF/Visfatin/NAMPT Antibody NBP2-19467

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-19467

Updated 8/30/2022 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-19467



NBP2-19467**PBEF/Visfatin/NAMPT Antibody****Product Information**

Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.01% Thimerosal
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS (pH 7), 20% Glycerol, 1% BSA
Target Molecular Weight	56 kDa

Product Description


Host	Rabbit
Gene ID	10135
Gene Symbol	NAMPT
Species	Human, Mouse, Rat
Reactivity Notes	Xenopus laevis (87%), Chicken (84%), Bovine (87%).
Immunogen	Recombinant protein encompassing a sequence within the center region of human Visfatin. The exact sequence is proprietary.

Product Application Details

Applications	Western Blot, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000, Immunocytochemistry/Immunofluorescence 1:100-1:1000, Immunohistochemistry-Paraffin 1:100-1:1000

Images


Western Blot: PBEF/Visfatin/NAMPT Antibody [NBP2-19467] - Mouse tissue extract (50 ug) was separated by 10% SDS-PAGE, and the membrane was blotted with Visfatin antibody diluted at 1:500.




Immunocytochemistry/Immunofluorescence: NAMPT Antibody [NBP2-19467] - Immunofluorescence analysis of methanol-fixed HeLa, using antibody at 1:500 dilution.




Immunohistochemistry-Paraffin: PBEF/Visfatin/NAMPT Antibody [NBP2-19467] - Paraffin-embedded mouse liver. Visfatin antibody diluted at 1:500.



Western Blot: NAMPT Antibody [NBP2-19467] - Sample (30 ug of whole cell lysate) A: Raji 7. 5% SDS PAGE gel, diluted at 1:3000.



Immunohistochemistry-Paraffin: PBEF/Visfatin/NAMPT Antibody [NBP2-19467] - Paraffin-embedded rat testis. Visfatin antibody diluted at 1:500.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA

Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
novus@novusbio.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada

Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: technical@novusbio.com
Orders: orders@novusbio.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-19467

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

