Product Datasheet

P2X3/P2RX3 Antibody NBP2-19657

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-19657

Updated 4/14/2021 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-19657



NBP2-19657


P2X3/P2RX3 Antibody

1 2/to/1 21t/to / titalouy	
Product Information	
0.1 ml	
Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.	
Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.	
Polyclonal	
0.025% Proclin 300	
IgG	
Immunogen affinity purified	
PBS, 20% Glycerol (pH7).	
44 kDa	
Product Description	
Rabbit	
5024	
P2RX3	
Human, Mouse	
Recombinant protein encompassing a sequence within the center region of human P2X3. The exact sequence is proprietary.	
Product Application Details	
Western Blot, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin	
Western Blot 1:1000-1:10000, Immunohistochemistry 1:100-1:1000, Immunocytochemistry/Immunofluorescence 1:100-1:1000, Immunohistochemistry-Paraffin 1:100-1:1000	



Images

Western Blot: P2X3/P2RX3 Antibody [NBP2-19657] - Various tissue extracts (50 ug) were separated by 10% SDS-PAGE, and the membrane was blotted with P2X3 antibody diluted at 1:500. HRP-conjugated antirabbit IgG antibody was used to detect the primary antibody.




Immunocytochemistry/Immunofluorescence: P2X3 Antibody [NBP2-19657] - Immunofluorescence analysis of methanol-fixed MCF-7, using antibody at 1:500 dilution.






Immunohistochemistry-Paraffin: P2X3 Antibody [NBP2-19657] - Immunohistochemical analysis of paraffin-embedded PC14 xenograft, using antibody at 1:500 dilution.



Western Blot: P2X3/P2RX3 Antibody [NBP2-19657] - Human tissue extract (30 ug) was separated by 10% SDS-PAGE, and the membrane was blotted with P2X3 antibody diluted at 1:500. HRP-conjugated antirabbit IgG antibody was used to detect the primary antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966 novus@novusbio.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: technical@novusbio.com

Orders: orders@novusbio.com General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-19657

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

