# **Product Datasheet**

# Retinol Binding Protein RBP Antibody NBP2-20132

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 1** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-20132

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-20132



#### NBP2-20132

Retinol Binding Protein RBP Antibody


3	· · · · · ·
Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.025% Proclin 300
Isotype	IgG
Purity	Antigen Affinity-purified
Buffer	PBS (pH 7), 20% Glycerol
Target Molecular Weight	16 kDa
Draduat Dagarintian	

<b>Product Description</b>	
Host	Rabbit
Gene ID	5947
Gene Symbol	RBP1
Species	Human, Mouse
Immunogen	Carrier-protein conjugated synthetic peptide encompassing a sequence within the center region of human Retinol Binding Protein RBP. The exact sequence is proprietary.


<b>Product Application Details</b>	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:1000-1:10000, Immunohistochemistry 1:100-1:1000, Immunocytochemistry/ Immunofluorescence 1:100-1:1000, Immunohistochemistry-Paraffin 1:100-1:1000

### **Images**


Western Blot: Retinol Binding Protein RBP Antibody [NBP2-20132] - Elevation of retinal tissue induction of visual cycle enzymes stimulated by retinoic acid 6 (STRA6, C) in chrysin-treated mice. The db/db mice were orally supplemented with 10 mg/kg of chrysin daily for 10 weeks. The db/m mice were introduced as control animals. Mouse retinal tissue extracts were subject to Western blot analysis with a primary antibody against each target protein of LRAT, RDH5, cellular retinol binding protein (CRBP), CRALBP, IRBP, or STRA6. beta-actin protein was used as an internal control. Bar graphs (mean +- SEM, n = nine independent experiments) in the bottom or right panels represent densitometric results of upper blot bands. \* Values in bar graphs indicate a significant difference at p<0.05. Image collected and cropped by CiteAb from the following publication (mdpi.com/2072-6643/10/8/1046), licensed under a CC-BY license




Immunohistochemistry-Paraffin: Retinol Binding Protein RBP Antibody [NBP2-20132] - Human colon, at 1:100 dilution. Antigen Retrieval: Trilogy™ (EDTA based, pH 8.0) buffer, 15min




Immunocytochemistry/ Immunofluorescence: Retinol Binding Protein RBP Antibody [NBP2-20132] - Retinol Binding Protein RBP antibody detects Retinol Binding Protein RBP protein at cytoplasm by immunofluorescent analysis.Sample: H1299 cells were fixed in 4% paraformaldehyde at RT for 15 min.Green: Retinol Binding Protein RBP stained by Retinol Binding Protein RBP antibody (NBP2-20132) diluted at 1:500.Blue: Fluoroshield with DAPI .Scale bar= 10 um.



Western Blot: Retinol Binding Protein RBP Antibody [NBP2-20132] - Whole cell extract (30 ug) was separated by 12% SDS-PAGE, and the membrane was blotted with Retinol Binding Protein RBP antibody (NBP2 -20132) diluted at 1:5000. The HRP-conjugated anti-rabbit IgG antibody was used to detect the primary antibody.



Western Blot: Retinol Binding Protein RBP Antibody [NBP2-20132] - Various whole cell extracts (30 ug) were separated by 12% SDS-PAGE, and the membrane was blotted with Retinol Binding Protein RBP antibody (NBP2-20132) diluted at 1:5000. The HRP-conjugated antirabbit IgG antibody was used to detect the primary antibody.



#### **Publications**

Kang MK, Lee EJ, Kim YH et al. Chrysin Ameliorates Malfunction of Retinoid Visual Cycle through Blocking Activation of AGE-RAGE-ER Stress in Glucose-Stimulated Retinal Pigment Epithelial Cells and Diabetic Eyes. Nutrients 2018-08-08 [PMID: 30096827] (WB, Mouse)





# Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP2-20132**

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP1-72542-50ug Recombinant Human Retinol Binding Protein RBP His Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-20132

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

