

Product Datasheet

SS18L1 Antibody NBP2-20485

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-20485

Updated 2/10/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-20485



NBP2-20485**SS18L1 Antibody****Product Information**

Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.01% Thimerosal
Isotype	IgG
Purity	Antigen Affinity-purified
Buffer	PBS (pH 7), 20% Glycerol, 1% BSA
Target Molecular Weight	43 kDa

Product Description


Host	Rabbit
Gene ID	26039
Gene Symbol	SS18L1
Species	Human, Mouse, Rat
Reactivity Notes	Bovine (87%).
Immunogen	Recombinant protein encompassing a sequence within the center region of human SS18L1. The exact sequence is proprietary.

Product Application Details


Applications	Western Blot, Immunocytochemistry/ Immunofluorescence
Recommended Dilutions	Western Blot 1:500-1:3000, Immunocytochemistry/ Immunofluorescence 1:100-1:1000

Images


Western Blot: SS18L1 Antibody [NBP2-20485] - Mouse tissue extracts (50 ug) was separated by 10% SDS-PAGE, and the membrane was blotted with CREST antibody [C1C3] diluted at 1:1000.




Immunocytochemistry/Immunofluorescence: SS18L1 Antibody [NBP2-20485] - SS18L1 antibody detects CREST protein at nucleus by immunofluorescent analysis. Sample: A431 cells were fixed in 4% paraformaldehyde at RT for 15 min. Green: SS18L1 stained by SS18L1 antibody diluted at 1:1000. Red: phalloidin, a cytoskeleton marker, diluted at 1:200. Scale bar= 10 μ m.




Western Blot: SS18L1 Antibody [NBP2-20485] - Sample (30 μ g of whole cell lysate) A: MCF-7 10% SDS PAGE gel, diluted at 1:1000.




Western Blot: SS18L1 Antibody [NBP2-20485] - Rat tissue extracts (50 μ g) was separated by 10% SDS-PAGE, and the membrane was blotted with CREST antibody [C1C3] diluted at 1:1000.



Western Blot: SS18L1 Antibody [NBP2-20485] - U87-MG whole cell extracts and nuclear extracts (30 μ g) were separated by 10% SDS-PAGE, and the membrane was blotted with CREST antibody [C1C3] diluted at 1:1000.



Immunocytochemistry/Immunofluorescence: SS18L1 Antibody [NBP2-20485] - NT2D1 cells were fixed in 4% paraformaldehyde at RT for 15 min. Green: CREST protein stained by CREST antibody [C1C3 diluted at 1:500. Blue: Hoechst 33342 staining.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-20485

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

