Product Datasheet

AP2A2 Antibody NBP2-21648

Unit Size: 0.1 mg

Store at -20C short term. Aliquot and store at -80C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-21648

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-21648



NBP2-21648

g se see the vial label for concentration. If unlisted please contact technical ces. at -20C short term. Aliquot and store at -80C long term. Avoid freeze-thaws.
te see the vial label for concentration. If unlisted please contact technical ces. at -20C short term. Aliquot and store at -80C long term. Avoid freeze-thaw s.
ces. at -20C short term. Aliquot and store at -80C long term. Avoid freeze-thaws.
s. Ional
/ Codium Azido
6 Sodium Azide
nogen affinity purified
M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
affinity purified antibody is directed against human AP2A2. The product was y purified from antiserum by immunoaffinity purification vial at -20C prior to opening. Aliquot contents and freeze at -20C or below
tended storage. Avoid cycles of freezing and thawing. Centrifuge product if empletely clear after standing at room temperature. This product is stable everal weeks at 4C as an undiluted liquid. Dilute only prior to immediate use.
.2
an
AST analysis was used to suggest reactivity with AP2A21 and AP2A22 in from human, chimpanzee, orangutan, mouse, rat, chicken and dog based 10% homology for the immunogen sequence. Cross reactivity with AP2A2 ins from other sources is not known.
affinity purified AP2A2 Antibody was prepared from whole goat serum uced by repeated immunizations with a synthetic peptide corresponding to -Terminal region near aa 1-25 of Human AP2A1 and AP2A2 proteins. rot: O95782)
ern Blot, ELISA, Immunoprecipitation
ern Blot 1:500-1:2000, ELISA 1:5000-1:20000, Immunoprecipitation 1:100
affinity purified antibody has been tested for use in ELISA and by western Specific conditions for reactivity should be optimized by the end user.



Images

Western Blot: AP2A2 Antibody [NBP2-21648] - Affinity Purified anti-AP2A antibody shows detection of a band just below 100 kDa corresponding to Human AP2A1 in a various preparations. Lane 1: HeLa nuclear extract, Lane 2: HeLa, Lane 3: 293, Lane 4: A431 and Lane 5: Jurkat whole cell lysates. In lanes 6-10 the antibody was preincubated with 1 ug/ml of the immunizing peptide which effectively blocks the specific reactivity of this antibody with AP2A. Approx. 20 ug of each lysate was run on a SDS-PAGE and transferred onto nitrocellulose followed by reaction with a 1:500 dilution of anti-AP2A antibody. Detection occurred using a 1:5000 dilution of HRP-labeled Rabbit anti-Goat IgG for 1 hour at room temperature. A chemi-luminescence system was used for signal detection using a 60-sec exposure time.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-21648

NBP1-96941 AP2 alpha Antibody Blocking Peptide

HAF017 Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

HAF109 Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

NB410-28088-1mg Goat IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-21648

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



