

Product Datasheet

GIT1 Antibody (S39B-8) NBP2-22423

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 7

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-22423

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-22423



NBP2-22423


GIT1 Antibody (S39B-8)

Product Information	
Unit Size	0.1 mg
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	S39B-8
Preservative	0.09% Sodium Azide
Isotype	IgG1
Purity	Protein G purified
Buffer	PBS (pH 7.4), 50% Glycerol
Product Description	
Host	Mouse
Gene ID	28964
Gene Symbol	GIT1
Species	Human, Mouse, Rat
Reactivity Notes	Mouse reactivity reported in scientific literature (PMID: 30546041).
Specificity/Sensitivity	Detects approx 90kDa. Does not cross-react with GIT2.
Immunogen	Fusion protein amino acids 375-770 (C-terminus) of rat GIT1
Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunoprecipitation, Knockout Validated
Recommended Dilutions	Western Blot 1:1000, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunoprecipitation, Immunohistochemistry-Frozen, Knockout Validated
Application Notes	1 ug/ml of GIT1 Antibody was sufficient for detection of GIT1 in 10 ug of rat brain lysate by colorimetric immunoblot analysis using Goat anti-mouse IgG:HRP as the secondary Antibody. Use in Immunohistochemistry-Frozen reported in scientific literature (PMID:31908016). Use in KO reported in scientific publication PMID: 32460388




Images


Western Blot: GIT1 Antibody (S39B-8) [NBP2-22423] - Western Blot analysis of Rat brain membrane lysate showing detection of GIT1 protein using Mouse Anti-GIT1 Monoclonal Antibody, Clone S39B-8 (NBP2-22423). Primary Antibody: Mouse Anti-GIT1 Monoclonal Antibody (NBP2-22423) at 1:1000.




Immunocytochemistry/Immunofluorescence: GIT1 Antibody (S39B-8) [NBP2-22423] - Immunocytochemistry/Immunofluorescence analysis using Mouse Anti-GIT1 Monoclonal Antibody, Clone S39B-8 (NBP2-22423). Tissue: Neuroblastoma cells (SH-SY5Y). Species: Human. Fixation: 4% PFA for 15 min. Primary Antibody: Mouse Anti-GIT1 Monoclonal Antibody (NBP2-22423) at 1:50 for overnight at 4C with slow rocking. Secondary Antibody: AlexaFluor 488 at 1:1000 for 1 hour at RT. Counterstain: Phalloidin-iFluor 647 (red) F-Actin stain; Hoechst (blue) nuclear stain at 1:800, 1.6mM for 20 min at RT. (A) Hoechst (blue) nuclear stain. (B) Phalloidin-iFluor 647 (red) F-Actin stain. (C) GIT1 Antibody (D) Composite.



Immunocytochemistry/Immunofluorescence: GIT1 Antibody (S39B-8) [NBP2-22423] - Tissue: Neuroblastoma cell line SK-N-BE. Species: Human. Fixation: 4% Formaldehyde for 15 min at RT. Primary Antibody: Mouse Anti-GIT1 Monoclonal Antibody at 1:100 for 60 min at RT. Secondary Antibody: Goat Anti-Mouse ATTO 488 at 1:100 for 60 min at RT. Counterstain: Phalloidin Texas Red F-Actin stain; DAPI (blue) nuclear stain at 1:1000; 1:5000 for 60 min RT, 5 min RT. Localization: Cytoplasm. Magnification: 60X.



Immunocytochemistry/Immunofluorescence: GIT1 Antibody (S39B-8) [NBP2-22423] - Immunocytochemistry/Immunofluorescence analysis using Mouse Anti-GIT1 Monoclonal Antibody, Clone S39B-8 (NBP2-22423). Tissue: Neuroblastoma cell line (SK-N-BE). Species: Human. Fixation: 4% Formaldehyde for 15 min at RT. Primary Antibody: Mouse Anti-GIT1 Monoclonal Antibody (NBP2-22423) at 1:100 for 60 min at RT. Secondary Antibody: Goat Anti-Mouse ATTO 488 at 1:100 for 60 min at RT. Counterstain: Phalloidin Texas Red F-Actin stain; DAPI (blue) nuclear stain at 1:1000; 1:5000 for 60 min RT, 5 min RT. Localization: Cytoplasm. Magnification: 60X. (A) DAPI (blue) nuclear stain. (B) Phalloidin Texas Red F-Actin stain. (C) GIT1 Antibody. (D) Composite.



Publications

Wan B, Li C, Wang M et al. GIT1 protects traumatically injured spinal cord by prompting microvascular endothelial cells to clear myelin debris Aging (Albany NY) 2021-03-15 [PMID: 33621952]

Schlienger, S;Yam, PT;Balekoglu, N;Ducuing, H;Michaud, JF;Makihara, S;Kramer, DK;Chen, B;Fasano, A;Berardelli, A;Hamdan, FF;Rouleau, GA;Srour, M;Charron, F; Genetics of mirror movements identifies a multifunctional complex required for Netrin-1 guidance and lateralization of motor control Science advances 2023-05-12 [PMID: 37172092] (Western Blot, Immunohistochemistry-Frozen, Proximity Ligation Assay, Immunocytochemistry/ Immunofluorescence, Mouse)

Zhao SJ, Liu H, Chen J et al. Macrophage GIT1 contributes to bone regeneration by regulating inflammatory responses in an ERK/NRF2-dependent way J. Bone Miner. Res. 2020-05-27 [PMID: 32460388] (WB, KO, Mouse)

Huang Y, Gu C, Wang Q, et al. The protective effort of GPCR kinase 2 interacting protein 1 in neurons via promoting Beclin1 Parkin induced mitophagy at the early stage of spinal cord ischemia reperfusion injury FASEB j. 2019-12-27 [PMID: 31908016] (ICC/IF, WB, IHC-F, Mouse)

Li L, Tang P, Zhou Z et al. GIT1 regulates angiogenic factor secretion in bone marrow mesenchymal stem cells via NF-kappa B/Notch signalling to promote angiogenesis Cell Prolif. [PMID: 31502302] (IP)

Chen J, Wang Q, Zhou W et al. GPCR kinase 2-interacting protein-1 protects against ischemia-reperfusion injury of the spinal cord by modulating ASK1/JNK/p38 signaling FASEB J. [PMID: 29912587]

Zhao SJ, Kong FQ, Cai W et al. GIT1 contributes to autophagy in osteoclast through disruption of the binding of Beclin1 and Bcl2 under starvation condition Cell Death Dis 2018-12-13 [PMID: 30546041] (WB, Mouse)





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-22423

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)
NBP1-85798PEP	GIT1 Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-22423

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

