Product Datasheet

CXCL11/I-TAC Antibody (10C6) NBP2-22533

Unit Size: 200 ug

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-22533

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-22533



NBP2-22533


CXCL11/I-TAC Antibody (10C6)

Product Information	
Unit Size	200 ug
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	10C6
Preservative	No Preservative
Isotype	lgG1
Purity	Protein G purified
Buffer	PBS
Product Description	
Host	Mouse
Gene ID	6373
Gene Symbol	CXCL11
Species	Human
Immunogen	Full length recombinant protein expressed in E-Coli
Product Application Details	
Applications	Western Blot, ELISA
Recommended Dilutions	Western Blot 1:1000, ELISA 1 - 3 ug/ml
Application Notes	Sandwich ELISA: 1 ug/ml for coating and 0.125 - 0.25 ug/ml for detection. The Molecular weight is ~8303 Da from positions 22 - 94 as determined by MALDI.



Images

Western Blot: CXCL11/I-TAC Antibody (10C6) [NBP2-22533] - Analysis of 0.25 ug of recombinant human ITAC and induced HeLa cell culture supernatant onto a 4-20% Tris-HCl polyacrylamide gel.



ELISA: CXCL11/I-TAC Antibody (10C6) [NBP2-22533] - Human ITAC was performed by coating a blank 96-well microtiter plate with 100ul per well of Human ITAC monoclonal antibody in duplicate at 1, 3, 4, 5, 7, and 9ug/ml in DPBS and incubating for 12-18 hours at 4C. The plate was aspirated and blocked with 300ul per well of 4% BSA and 5% sucrose in DPBS for 1 hour at room temperature. Human ITAC recombinant protein at 50ul per well was added in duplicate at 4000, 1600, 640, 256, 102.4, 40.96, and 0 pg/ml for 2 hours at room temperature along with 50ul of Human ITAC biotinylated monoclonal antibody in all applicable wells at 0.2ug/ml for 2 hours at room temperature. The plate was washed with ELISA Wash Buffer and incubated with 100ul per well of Streptavidin-HRP in all test wells at 1:80,000 dilution for 1 hour at room temperature and then washed and incubated with 100ul per well of TMB substrate for 30 minutes at room temperature in the dark.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-22533

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)
NBP2-34922-5ug	Recombinant Human CXCL11/I-TAC Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-22533

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

