Product Datasheet

Recombinant Human ASMT His Protein NBP2-22666

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-22666

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-22666




NBP2-22666

Recombinant Human ASMT His Protein

Product Information Unit Size 0.1 mg Concentration 1 mg/ml Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Preservative No Preservative Purity >85%, by SDS-PAGE Buffer 20 mM Tris-HCl buffer (pH 8.0), 1 M UREA, 10% glycerol Target Molecular Weight 35.3 kDa Product Description Description Description A denatured recombinant protein with a N-Terminal His-tag and corresponding to the amino acids 1-298 of Human ASMT Source: <i>E.coli</i> Amino Acid Sequence: MCSSHHHHHH SSGLVPRGSH MGSSEDQAYR LLNDYANGFM VSQVLFAACE LGVFDLLAEA POPLDVAAVA AGVRASAHGT ELLDICVSL KLLKVETRGG KAFYRNTELS SDVLTTVSPT SQCSMLYMG RTSYRCWGHL ADAVREGRNQ YLETFGVPAE ELFTAIYRSE GERLQFMQAL QEVWSVNGRS VLTAFDLSVF PLMCDLGGOF FKDPLPEADL VILARVLHDW ADGKCSHLLE RIYHTCKPGG GILVIESLD DERRGPLUTQ LYSLNMLVQT EGQERTPTHY HMLLSSAGFR DFQFKKTGAI YDAILARK Gene ID 438 Gene Symbol ASMT Species Human Product Application Details SDS-Page Applications SDS-Page Application Notes Denatured protein is most likely not the best option for functional studies. It is better suited for Western Blot (WB) or imaging assays.		
Concentration 1 mg/ml Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Preservative No Preservative Purity >85%, by SDS-PAGE Buffer 20 mM Tris-HCI buffer (pH 8.0), 1 M UREA, 10% glycerol Target Molecular Weight 35.3 kDa Product Description A denatured recombinant protein with a N-Terminal His-tag and corresponding to the amino acids 1-298 of Human ASMT Source: E.coli Amino Acid Sequence: MGSSHHHHHH SSGLVPRGSH MGSSEDQAYR LLNDYANGFM VSQVLFAACE LGVFDLLAEA PGPLDVAAVA AGVRASAHGT ELLLDICVSL KLLKVETRGG KAFYRNTELS SDYLTTVSPT SQCSMLKYMG RTSYRCWGHL ADAVREGRNQ YLETFGVPAE ELFTAIYRSE GERLQFMQAL QEVWSVNGRS VLTAFDLSVF PIMCDLGGOP KDPLPLEAD YILARVHDW ADGKCSHLLE RIYHTCKPGG GILVIESLLD EDRRGPLLTQ LYSLNMLVQT EGGERTPTHY HMLLSSAGFR DFQFKKTGAI YDAILARK Gene ID 438 Gene Symbol ASMT Species Human Product Application Details SDS-Page Recommended Dilutions SDS-Page Reputed for the test option for functional studies. It is	Product Information	
Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Preservative No Preservative Purity >85%, by SDS-PAGE Buffer 20 mM Tris-HCl buffer (pH 8.0), 1 M UREA, 10% glycerol Target Molecular Weight 35.3 kDa Product Description A denatured recombinant protein with a N-Terminal His-tag and corresponding to the amino acids 1-298 of Human ASMT Source: E.coli Amino Acid Sequence: MGSSHIHIHIH SSGLVPRGSH MGSSEDQAYR LLNDYANGFM VSQVLFAACE LGVFDLLAEA PGPLDVAAVA AGVRASAHGT ELLIDICVSL KLLKVETRGG KAFYRNTELS SDYLTTVSPT SQCSMLKYMG RTSYRCWGHL ADAVREGRNQ VLETFGVPAE LETTAIYRSE GERLQFMQAL QEVWSVNGRS VLTAFDLSVF PLMCDLGGDF FKDPLPEADL YILARVLHDW ADGKCSHLLE RIYHTCKPGG GILVIESLD EDRRGPLLTO LYSLNMLVQT EGQERTPTHY HMLLSSAGFR DFQFKKTGAI YDAILARK Gene ID 438 Gene Symbol ASMT Species Human Product Application Details SDS-Page Applications SDS-Page Recommended Dilutions SDS-Page Application Notes Denatured protein is most likely not the best option for functional studies. It is	Unit Size	0.1 mg
cycles. Preservative No Preservative Purity >85%, by SDS-PAGE Buffer 20 mM Tris-HCI buffer (pH 8.0), 1 M UREA, 10% glycerol Target Molecular Weight 35.3 kDa Product Description A denatured recombinant protein with a N-Terminal His-tag and corresponding to the amino acids 1-298 of Human ASMT Source: E.coli Amino Acid Sequence: MGSSHHHHHH SSGLVPRGSH MGSSEDQAYR LLNDYANGFM VSQVLFAACE LGVFDLLAEA PGPLDVAAVA AGVRASAHGT ELLLDICVSL KLLKVETRGG KAFYRNTELS SDYLTTVSPT SQCSMLKYMG RTSYRCWGHL ADAVREGRNQ YLETFGVHZ ELFTAIYRSE GERLOFMOAL QEVWSVNGRS VLTAFDLSVF PLMCDLGGDF FKDPLPEADL YILARVLHDW ADGKCSHLLE RIYHTCKPGG GILVIESLLD EDRRGPLLTQ LYSLNMLVQT EGQERTPTHY HMLLSSAGFR DFQFKKTGAI YDAILARK Gene ID 438 Gene Symbol ASMT Species Human Product Application Details SDS-Page Applications SDS-Page Recommended Dilutions SDS-Page Application Notes Denatured protein is most likely not the best option for functional studies. It is	Concentration	1 mg/ml
Purity >85%, by SDS-PAGE Buffer 20 mM Tris-HCI buffer (pH 8.0), 1 M UREA, 10% glycerol Target Molecular Weight 35.3 kDa Product Description A denatured recombinant protein with a N-Terminal His-tag and corresponding to the amino acids 1-298 of Human ASMT Source: E.coli Amino Acid Sequence: MGSSHHHHHH SSGLVPRGSH MGSSEDQAYR LLNDYANGFM VSQVLFAACE LGVFDLAEA PGPLDVAAVA AGVRASAHGT ELLLDICVSL KLLKVETRGG KAFYRNTELS SDYLTTVSPT SQCSMLKYMG RTSYRCWGHL ADAVREGRNQ YLTAFDLSVF PLMCDLGGDF FKDPLPADL YILARVLHDW ADGKCSHLLE RIYHTCKPGG GILVIESLLD EDRRGPLLTQ LYSLNMLVQT EGQERTPTHY HMLLSSAGFR DFQFKKTGAI YDAILARK Gene ID 438 Gene Symbol ASMT Species Human Product Application Details SDS-Page Recommended Dilutions SDS-Page Recommended Dilutions SDS-Page Application Notes Denatured protein is most likely not the best option for functional studies. It is	Storage	
Buffer 20 mM Tris-HCl buffer (pH 8.0), 1 M UREA, 10% glycerol Target Molecular Weight 35.3 kDa Product Description A denatured recombinant protein with a N-Terminal His-tag and corresponding to the amino acids 1-298 of Human ASMT Source: E.coli Amino Acid Sequence: MGSSHHHHHH SSGLVPRGSH MGSSEDQAYR LLNDYANGFM VSQVLFAACE LGVFDLLAEA PGPLDVAAVA AGVRASAHGT ELLLDICVSL KLLKVETRGG KAFYRNTELS SDYLTTVSPT SQCSMLKYMG RTSYRCWGHL ADAVREGRNQ YLETFGVPAE ELFTAIYRSE GERLQFMQAL QEVWSVNGRS VLTAFDLSVF PLMCDLGGDF FKDPLPEADL YLARVLHDW ADGKCSHLLE RIYHTCKPGG GILVIESLLD EDRRGPLLTQ LYSLNMLVQT EGQERTPTHY HMLLSSAGFR DFQFKKTGAI YDAILARK Gene ID 438 Gene Symbol ASMT Species Human Product Application Details SDS-Page Recommended Dilutions SDS-Page Application Notes Denatured protein is most likely not the best option for functional studies. It is	Preservative	No Preservative
Target Molecular Weight 35.3 kDa Product Description A denatured recombinant protein with a N-Terminal His-tag and corresponding to the amino acids 1-298 of Human ASMT Source: E.coli Amino Acid Sequence: MGSSHHHHHH SSGLVPRGSH MGSSEDQAYR LLNDYANGFM VSQVLFAACE LGVFDLLAEA PGPLDVAAVA AGVRASAHGT ELLDICVSL KLLKVETRGG KAFYRNTELS SDYLTTVSPT SQCSMLKYMG RTSYRCWGHL ADAVREGRNQ YLETFGVPAE ELFTAIYRSE GERLQFMQAL QEVWSVNGRS VLTAFDLSVF PLMCDLGGDF FKDPLPEADL YILARVLHDW ADGKCSHLLE RIYHTCKPGG GILVIESLLD EDRRGPLLTQ LYSLNMLVQT EGQERTPTHY HMLLSSAGFR DFQFKKTGAI YDAILARK Gene ID 438 Gene Symbol ASMT Species Human Product Application Details SDS-Page Recommended Dilutions SDS-Page Application Notes Denatured protein is most likely not the best option for functional studies. It is	Purity	>85%, by SDS-PAGE
Product Description A denatured recombinant protein with a N-Terminal His-tag and corresponding to the amino acids 1-298 of Human ASMT Source: E.coli Amino Acid Sequence: MGSSHHHHHH SSGLVPRGSH MGSSEDQAYR LLNDYANGFM VSQVLFAACE LGVFDLLAEA PGPLDVAAVA AGVRASAHGT ELLLDICVSL KLLKVETRGG KAFYRNTELS SDYLTTVSPT SQCSMLKYMG RTSYRCWGHL ADAVREGRNQ YLETFGVPAE ELFTAIYRSE GERLOFMQAL QEVWSVNGRS VLTAFDLSVF PLMCDLGGDF FKDPLPEADL YILARVLHDW ADGKCSHLLE RIYHTCKPGG GILVIESLLD EDRRGPLLTQ LYSLNMLVQT EGQERTPTHY HMLLSSAGFR DFQFKKTGAI YDAILARK Gene ID 438 Gene Symbol ASMT Species Human Product Application Details Applications Application Notes Denatured protein is most likely not the best option for functional studies. It is	Buffer	20 mM Tris-HCl buffer (pH 8.0), 1 M UREA, 10% glycerol
DescriptionA denatured recombinant protein with a N-Terminal His-tag and corresponding to the amino acids 1-298 of Human ASMTSource:E.coliAmino Acid Sequence:MGSSHHHHHH SSGLVPRGSH MGSSEDQAYR LLNDYANGFM VSQVLFAACE LGVFDLLAEA PGPLDVAAVA AGVRASAHGT ELLLDICVSL KLLKVETRGG KAFYRNTELS SDYLTTVSPT SQCSMLKYMG RTSYRCWGHL ADAVREGRNQ YLETFGVPAE ELFTAIYRSE GERLQFMQAL QEVWSVNGRS VLTAFDLSVF PLMCDLGGDF FKDPLPEADL YILARVLHDW ADGKCSHLLE RIYHTCKPGG GILVIESLLD EDRRGPLLTQ LYSLNMLVQT EGQERTPTHY HMLLSSAGFR DFQFKKTGAI YDAILARKGene ID438Gene SymbolASMTSpeciesHumanProduct Application Details ApplicationsSDS-PageRecommended DilutionsSDS-PageApplication NotesDenatured protein is most likely not the best option for functional studies. It is	Target Molecular Weight	35.3 kDa
the amino acids 1-298 of Human ASMTSource: E.coliAmino Acid Sequence: MGSSHHHHHH SSGLVPRGSH MGSSEDQAYR LLNDYANGFM VSQVLFAACE LGVFDLLAEA PGPLDVAAVA AGVRASAHGT ELLLDICVSL KLLKVETRGG KAFYRNTELS SDYLTTVSPT SQCSMLKYMG RTSYRCWGHL ADAVREGRNQ YLETFGVPAE ELFTAIYRSE GERLQFMQAL QEVWSVNGRS VLTAFDLSVF PLMCDLGGDF FKDPLPEADL YILARVLHDW ADGKCSHLLE RIYHTCKPGG GILVIESLLD EDRRGPLLTQ LYSLNMLVQT EGQERTPTHY HMLLSSAGFR DFQFKKTGAI YDAILARKGene ID438Gene SymbolASMTSpeciesHumanProduct Application Details ApplicationsSDS-PageRecommended DilutionsSDS-PageApplication NotesDenatured protein is most likely not the best option for functional studies. It is	Product Description	
Gene SymbolASMTSpeciesHumanProduct Application DetailsApplicationsSDS-PageRecommended DilutionsSDS-PageApplication NotesDenatured protein is most likely not the best option for functional studies. It is	Description	Source: <i>E.coli</i> Amino Acid Sequence: MGSSHHHHHH SSGLVPRGSH MGSSEDQAYR LLNDYANGFM VSQVLFAACE LGVFDLLAEA PGPLDVAAVA AGVRASAHGT ELLLDICVSL KLLKVETRGG KAFYRNTELS SDYLTTVSPT SQCSMLKYMG RTSYRCWGHL ADAVREGRNQ YLETFGVPAE ELFTAIYRSE GERLQFMQAL QEVWSVNGRS VLTAFDLSVF PLMCDLGGDF FKDPLPEADL YILARVLHDW ADGKCSHLLE RIYHTCKPGG GILVIESLLD EDRRGPLLTQ LYSLNMLVQT
SpeciesHumanProduct Application DetailsApplicationsSDS-PageRecommended DilutionsSDS-PageApplication NotesDenatured protein is most likely not the best option for functional studies. It is	Gene ID	438
Product Application Details Applications SDS-Page Recommended Dilutions SDS-Page Application Notes Denatured protein is most likely not the best option for functional studies. It is	Gene Symbol	ASMT
Applications SDS-Page Recommended Dilutions SDS-Page Application Notes Denatured protein is most likely not the best option for functional studies. It is	Species	Human
Recommended Dilutions SDS-Page Application Notes Denatured protein is most likely not the best option for functional studies. It is	Product Application Details	
Application NotesDenatured protein is most likely not the best option for functional studies. It is	Applications	SDS-Page
	Recommended Dilutions	SDS-Page
	Application Notes	

Images

SDS-Page: Recombinant Human ASMT His Protein [NBP2-22666] - 3ug by SDS-PAGE under reducing condition and visualized by coomassie blue stain.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-22666

NLS932Melatonin Receptor 1B Antibody - BSA FreeNBP2-43801ASMT Antibody664-LI-025LIGHT/TNFSF14 [Unconjugated]NBP1-30475BRD2 Antibody

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Peptides and proteins are guaranteed for 3 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-22666

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

