Product Datasheet

Langerin/CD207 Antibody (310F7.02) - Azide and BSA Free DDX0361P-100

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 1 Publications: 16

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/DDX0361P-100

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/DDX0361P-100



DDX0361P-100

Langerin/CD207 Antibody (310F7.02) - Azide and BSA Free


• • • • • • • • • • • • • • • • • • • •	,
Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	310F7.02
Preservative	No Preservative
Isotype	lgG1
Purity	Ion exchange chromatography
Buffer	Tris-NaCl (pH 8.0)
Draduct Description	

Novus Biologicals Mouse Langerin/CD207 Antibody (310F7.02) - Azide and BSA Free (DDX0361P-100) is a monoclonal antibody validated for use in IHC, ELISA, Flow and ICC/IF. Anti-Langerin/CD207 Antibody: Cited in 16 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Mouse
50489
CD207
Human, Mouse, Rat, Porcine, Chinese Hamster
Langerin/CD207 was used as immunogen.
This product is manufactured by Eurobio Scientific (formerly Dendritics) and distributed by Novus Biologicals.

Product Application Details	
Applications	Immunohistochemistry-Paraffin, ELISA, Flow Cytometry, Flow (Cell Surface), Flow (Intracellular), Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen
Recommended Dilutions	Flow Cytometry, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunocytochemistry/ Immunofluorescence 1:10 - 1:500, Immunohistochemistry-Paraffin 1:10-1:500, Immunohistochemistry-Frozen 1:10-1:500, Flow (Cell Surface), Flow (Intracellular)


Images

Immunocytochemistry/Immunofluorescence: Langerin/CD207 Antibody (310F7.02) [DDX0361P-100] - Cryosections of human skin, 1:200 dilution, staining for 1 hour at 37 degrees. Dapi nuclear stain used to define architecture. Langerin staining is visible in the epidermis. Image submitted from verified customer review.







Immunohistochemistry-Paraffin: Langerin/CD207 Antibody (310F7.02) [DDX0361P-100] - Staining of human skin paraffin section with 310F7.02




Flow Cytometry: Langerin/CD207 Antibody (310F7.02) [DDX0361P-100] - Saining with 310F7.02 o f cells derived from overnight culture o f porcine skin biopsies permeabilized (B) or not(A).




Immunocytochemistry/Immunofluorescence: Langerin/CD207 Antibody (310F7.02) [DDX0361P-100] - Staining of CHO cells transfected (right) or not (left) with mouse Langerin .




Immunohistochemistry-Paraffin: Langerin/CD207 Antibody (310F7.02) [DDX0361P-100] - Porcine skin cryosections stained with Langerin antibody




Flow (Cell Surface): Langerin/CD207 Antibody (310F7.02) [DDX0361P-100] - Analysis using the Allophycocyanin conjugate of DDX0361P-100. Staining of Langerin in stably transfected CHO using Langerin antibody at 1ug/ml. Blue histogram represents isotype control (1ug/ml), red histogram is anti-Langerin. Total viable cells were use



Flow (Intracellular): Langerin/CD207 Antibody (310F7.02) [DDX0361P-100] - Analysis using the PE conjugate of DDX0361P-100. Staining of Langerin in stably transfected CHO cells (A) or DC-SIGN in stably transfected HeLa cells (negative control) (B) using antibody at 1ug/ml. Blue histogram in both panels represents isotype control.





Publications

Jackson R, Lukacs JD, Zehbe I. The Potentials and Pitfalls of a Human Cervical Organoid Model Including Langerhans Cells Viruses 2020-12-01 [PMID: 33271909]

Pestronk A, Sinha N et al. Immune myopathy with large histiocyte-related myofiber necrosis. Neurology 2019-09-04 [PMID: 30894448] (IF/IHC, Human)

Chabrol E et al. Alteration of the langerin oligomerization state affects Birbeck granule formation. Biophys J 2015-02-01 [PMID: 25650933]

Gerber A et al. High expression of FOXP3 in primary melanoma is associated with tumour progression. Br J Dermatol 2014-01-01 [PMID: 24116716]

Debeer S et al. Comparative histology and immunohistochemistry of porcine versus human skin. Eur J Dermatol 2013 -07-01 [PMID: 24047577]

Boyd A et al. Quiescent innate response to infective filariae by human Langerhans cells suggests a strategy of immune evasion. Infect Immun 2013-05-01 [PMID: 23429540]

Luckashenak N et al. Rho-family GTPase Cdc42 controls migration of Langerhans cells in vivo. J Immunol 2013-01-01 [PMID: 23209325]

Hitzler M et al. Human Langerhans cells control Th cells via programmed death-ligand 1 in response to bacterial stimuli and nickel-induced contact allergy. PLoS One 2012-01-01 [PMID: 23056446]

Iram N et al. Age-related changes in expression and function of Toll-like receptors in human skin. Development 2012-11-01 [PMID: 23034637]

Segura E et al. Characterization of resident and migratory dendritic cells in human lymph nodes. J Exp Med 2012-04-09 [PMID: 22430490]

Bobr A et al. Acute ablation of Langerhans cells enhances skin immune responses. J Immunol 2010-10-15 [PMID: 20855870]

deJong MA et al. Herpes simplex virus type 2 enhances HIV-1 susceptibility by affecting Langerhans cell function. J Immunol 2010-08-01 [PMID: 20592277]

More publications at http://www.novusbio.com/DDX0361P-100





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to DDX0361P-100

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)

NBP2-52050-0.1mg Recombinant Human Langerin/CD207 His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/DDX0361P-100

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

