Product Datasheet

NLRP2/NALP2 Antibody NB100-56155SS

Unit Size: 0.025 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.



Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-56155

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB100-56155



NB100-56155SS


NLRP2/NALP2 Antibody

Product Information	
Unit Size	0.025 ml
Concentration	This product is unpurified. The exact concentration of antibody is not quantifiable.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Unpurified
Buffer	Whole antisera
Product Description	
Host	Rabbit
Gene ID	55655
Gene Symbol	NLRP2
Species	Human
Immunogen	A synthetic peptide corresponding to amino acids 97-115 (LKSFNKRKPLSLGITRKER) of human NALP2/PAN1/PYPAF2 was used as immunogen; GenBank no. gi 8923473 ref NP_060322.1
Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation
Recommended Dilutions	Western Blot 1:1000-1:2000, Immunohistochemistry, Immunoprecipitation 1:50- 1:200, Immunohistochemistry-Paraffin 1:2000-1:5000
Application Notes	Detected NALP2 at approx. 110 kDa in various cell line lysates and in NALP2 transfected cells (Bruey et al, 2004).




Images

Western Blot: NLRP2/NALP2 Antibody [NB100-56155] - Analysis of NLRP2/NALP2 using antibody at 1:2000. HEK293T: mock transfected cells, HEK293T-NALP2:NALP2 transiently transfected cells; THP-1: untreated cells; THP1-LPS: cells treated with 1 ug/ml LPS for4h. MCF-7: untreated cells.



Immunohistochemistry-Paraffin: NLRP2/NALP2 Antibody [NB100-56155] - NLRP2 was detected in immersion fixed paraffin-embedded sections of human placenta using Rabbit Anti-Human NLRP2 polyclonal Antibody (Catalog # NB100-56155) at 1:500 for 1 hour at room temperature followed by incubation with the Anti-Rabbit IgG VisUCyte™ HRP Polymer Antibody (Catalog # VC003). Tissue was stained using DAB (brown) and counterstained with hematoxylin (blue). Specific staining was localized to the cytoplasm in horionic villi.



Publications

Bruey JM, Bruey-Sedano N, Newman R et al. PAN1/NALP2/PYPAF2, an inducible inflammatory mediator that regulates NF-kappaB and caspase-1 activation in macrophages. J Biol Chem. 2004-12-10 [PMID: 15456791] (WB, Human)

Details:

Western Blot, Figs 1, 2, 3, 4, 5, 6, 7, 8: various human cell lysates including THP-1 and MCF-7). Validation of NALP2 antibody specificity by siRNA knockdown, Fig. 5B.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-56155

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

