

Product Datasheet

BAFF/BLyS/TNFSF13B Antibody - BSA Free NB100-56310SS

Unit Size: 0.025 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-56310

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-56310



NB100-56310SS

BAFF/BLyS/TNFSF13B Antibody - BSA Free


Product Information	
Unit Size	0.025 mg
Concentration	1.0 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Protein G purified
Buffer	PBS

Product Description	
Description	Novus Biologicals Rabbit BAFF/BLyS/TNFSF13B Antibody - BSA Free (NB100-56310) is a polyclonal antibody validated for use in IHC and WB. Anti-BAFF/BLyS/TNFSF13B Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	10673
Gene Symbol	TNFSF13B
Species	Human, Mouse
Immunogen	This rabbit polyclonal antibody was developed against a C-terminal peptide corresponding to amino acids 254-269 of human TNFSF13B.

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 0.5-2 ug/ml, Immunohistochemistry-Paraffin reported in scientific literature (PMID 33536561)

Images

Western Blot: BAFF/BLyS/TNFSF13B Antibody [NB100-56310] - Analysis of BAFF/BLyS/TNFSF13B in mouse and human lysates using BLyS antibody at 2 ug/ml. Lane A: mouse testis, Lane B: mouse thymus, Lane C: mouse spleen, and Lane D: HL-60 cells (human). Goat anti-rabbit Ig HRP secondary antibody and PicoTect ECL substrate solution were used for this test.

**Publications**

Bakhuraysah MM, Theotokis P, Lee JY et al. B-cells expressing Ngr1 and Ngr3 are localized to EAE-induced inflammatory infiltrates and are stimulated by BAFF Scientific reports 2021-02-03 [PMID: 33536561] (IHC-P, Mouse)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-56310

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

