

Product Datasheet

Cyclin D1 Antibody NBP2-24695SS

Unit Size: 0.025 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 4

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-24695

Updated 12/11/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-24695



NBP2-24695SS**Cyclin D1 Antibody****Product Information**

Unit Size	0.025 mg
Concentration	1.0 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Protein A purified
Buffer	PBS

Product Description

Description	Novus Biologicals Rabbit Cyclin D1 Antibody (NBP2-24695) is a polyclonal antibody validated for use in Multiplex Immunofluorescence, IHC and WB. Anti-Cyclin D1 Antibody: Cited in 4 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	595
Gene Symbol	CCND1
Species	Human
Reactivity Notes	The eIF3J amino acid sequence used as immunogen for this antibody is 100% homologous in horse, chimpanzee, rat, dog, mouse, orangutan, opossum and platypus, 94% homologous in cow, zebrafish and chicken and 76% homologous in Tetradon .
Immunogen	A portion of amino acid 250 to 300 of human Cyclin D1 was used as immunogen.


Product Application Details

Applications	Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Multiplex Immunofluorescence
Recommended Dilutions	Western Blot 4-6 ug/ml, Immunohistochemistry, Immunohistochemistry-Paraffin 5-10 ug/ml, Multiplex Immunofluorescence 25ug/mL




Images


CCND1 was detected in immersion fixed paraffin-embedded sections of human Hodgkin's Lymphoma using Rabbit Anti-Human CCND1, Monoclonal Antibody (Catalog #NBP2-24695) at 25ug/mL at 37 ° Celsius for 4 minutes. Before incubation with the primary antibody, tissue underwent an all-in-one dewaxing and antigen retrieval preprocessing using PreTreatment Module (PT Module) and Dewax and HIER Buffer H (pH 9; Epredia Catalog # TA-999-DHBH). Tissue was stained using the Alexa Fluor™ Plus 647 Goat anti-Rabbit IgG Secondary Antibody at 1:200 at 37 ° Celsius for 2 minutes. (Yellow; Lunaphore Catalog # [DR647RB](#)) and counterstained with DAPI (blue; Lunaphore Catalog # [DR100](#)). Specific staining was localized to the nucleus. Protocol available in [COMET™ Panel Builder](#).



Western Blot: Cyclin D1 Antibody [NBP2-24695] - Analysis of 1) mouse C2C12 and 2) mouse NIH 3T3 lysate using Cyclin D1 antibody at 5 ug/ml. Goat anti-rabbit Ig HRP secondary antibody and PicoTect ECL substrate solution were used for this test.



Immunohistochemistry-Paraffin: Cyclin D1 Antibody [NBP2-24695] - Formalin-fixed, paraffin-embedded human small intestine stained with Cyclin D1 antibody at 10 ug/ml.



Publications

Burda JE, O'Shea TM, Ao Y et al. Divergent transcriptional regulation of astrocyte reactivity across disorders Nature 2022-05-25 [PMID: 35614216] (IHC-Fr, Mouse)

Bimonte, S;Cascella, M;Barbieri, A;Arra, C;Cuomo, A; Shining a Light on the Effects of the Combination of (-)-Epigallocatechin-3-gallate and Tapentadol on the Growth of Human Triple-negative Breast Cancer Cells In Vivo 2019 -06-24 [PMID: 31471393] (Human)

Ray A, Vasudevan S, Sengupta S. 6-Shogaol Inhibits Breast Cancer Cells and Stem Cell-Like Spheroids by Modulation of Notch Signaling Pathway and Induction of Autophagic Cell Death. PLoS ONE 2015-09-11 [PMID: 26355461] (WB, Human)

Kamal A, Sreekanth K, Kumar PP et al. Synthesis and potential cytotoxic activity of new phenanthrylphenol-pyrrolobenzodiazepines. Eur J Med Chem. 2010-06-01 [PMID: 20171761]

Details:

Products cited for western blot: 1. PARP (IMG-401A): MCF-7 cells treated with numerous compounds, Fig 7. 2. B-Tubulin (IMG-5180A): MCF-7 cells treated with PP-PBDs, Fig 6 and Fig 7. 3. Cytochrome C (IMG-101A): MCF-7 cells treated with numerous compounds,





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-24695

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

