Product Datasheet

TLR5 Antibody (85B152.5) [PE] NBP2-24959

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com technical@novusbio.com

Publications: 16

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-24959

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-24959




NBP2-24959

TLR5 Antibody (85B152.5) [PE]

Product Information	
Unit Size	0.1 ml
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C in the dark.
Clonality	Monoclonal
Clone	85B152.5
Preservative	0.05% Sodium Azide
Isotype	lgG2a
Conjugate	PE
Purity	Protein G purified
Buffer	PBS
Product Description	
Host	Mouse
Gene ID	7100
Gene Symbol	TLR5
Species	Human, Mouse, Canine
Immunogen	This antibody was developed against KLH-conjugated synthetic peptide corresponding to a portion of human TLR5. It will cross-react with mouse TLR5 (NP_003259).
Immunogen Product Application Details	corresponding to a portion of human TLR5. It will cross-react with mouse TLR5
_	corresponding to a portion of human TLR5. It will cross-react with mouse TLR5
Product Application Details	corresponding to a portion of human TLR5. It will cross-react with mouse TLR5 (NP_003259).
Product Application Details Applications	corresponding to a portion of human TLR5. It will cross-react with mouse TLR5 (NP_003259). Flow Cytometry, Flow (Cell Surface), Flow (Intracellular)





Publications

Kumazoe M, Takamatsu K, Horie F et al. Methylated (-)-epigallocatechin 3-O-gallate potentiates the effect of split vaccine accompanied with upregulation of Toll-like receptor 5 Sci Rep 2021-11-29 [PMID: 34845235] (FLOW, Mouse)

Details:

Citation using the PE format of this antibody.

Moreira ML, Costa-Pereira C, Alves MLR. Vaccination against canine leishmaniosis increases the phagocytic activity, nitric oxide production and expression of cell activation/migration molecules in neutrophils and monocytes. Veterinary Parasitology [PMID: 26995719] (FLOW, Canine)

Details:

Used the PE form of this antibody.

www.novusbio.com



Mishra A, Brown AL, Yao X et al. Dendritic cells induce Th2-mediated airway inflammatory responses to house dust mite via DNA-dependent protein kinase Nat Commun Nat Commun [PMID: 25692509] (FLOW, Mouse)

Details:

This publication used the PE conjugated form of this antibody (Cat# NBP2-24959).

Rydberg C, Mansson A, Uddman R et al. Toll-like receptor agonists induce inflammation and cell death in a model of head and neck squamous cell carcinomas. Immunology. 2009-09-01 [PMID: 19740321]

Details:

TLR2/CD282 PE (IMG-416D), TLR3/CD283 (IMG-315A), TLR3/CD283 (IMG-315D), TLR5 PE (IMG-663D), TLR5 (IMG-663). 1. IHC(paraffin): Human head and neck squamous (HNSCC) cell carcinomas showing keratinized cell carcinoma from the larynx stained with TLR2 (IMG-416A) and TLR5 antibodies (IMG-663A), Fig 1A, 1B, & 1C. 2. Flow (intracellular): TLR2 PE (IMG-416D), TLR3 PE (IMG-315D), and TLR5 PE (IMG-663D) antibodies were used in human bronchial epithelial (NL-20) and human pharyngeal squamous (Detroit-562) carcinoma cell line, Fig 2C.

Bens M, Vimont S, Ben Mkaddem S et al. Flagellin/TLR5 signalling activates renal collecting duct cells and facilitates invasion and cellular translocation of uropathogenic Escherichia coli Cell Microbiol 2014-04-29 [PMID: 24779433] (Flow Cytometry Control, Flow-CS, Mouse)

Details:

This citation used the PE version of this antibody.

Mansson A, Adner M, Cardell LO. Toll-like receptors in cellular subsets of human tonsil T cells: altered expression during recurrent tonsillitis. Respir Res. 2006-02-27 [PMID: 16504163]

Details:

Antibodies cited (human tonsils separated into cell subtypes): 1. TLR3 [IMG-315D (Flow-Intracellular), Figs 5 and 6]. 2. TLR5 [IMG-663A (Flow-Intracellular), Fig 6]. 3. TLR9 [IMG-305C (Flow-Intracellular), Fig 4.].

van den Berk LC, Jansen BJ, Siebers-Vermeulen KG et al. Toll-like receptor triggering in cord blood mesenchymal stem cells. J Cell Mol Med. 2009-09-01 [PMID: 20196781] (Human)

Details:

flow (cell surface) cytometry: TLR5 (IMG-663A), TLR6 (IMG-304), TLR8 (IMG-321). Human mesenchymal stem cells, Fig 1C.

Feng T, Cong Y, Alexander K, Elson CO. Regulation of Toll-like receptor 5 gene expression and function on mucosal dendritic cells. PLoS One. 2012-01-01 [PMID: 22545147]

Details:

Antibodies cited: TLR5 (IMG-663A), Flow-intracellular (DC cells derived from C57BL/6 mice): Fig 1c, d: lamina propria (LP) from the intestine and splenic DCs. The cells were doubled stained with a CD11b mAb and the IMG-663A TLR5 mAb. The LP DCs but not th

LeBouder E, Rey-Nores JE, Raby AC et al. Modulation of neonatal microbial recognition: TLR-mediated innate immune responses are specifically and differentially modulated by human milk. J Immunol. 2006-03-15 [PMID: 16517743]

Details:

1. TLR3 (IMG-315) [Flow (Cell Surface), Fig.3 (dendritic cells)]. 2. TLR5 (IMG-663) [Flow (Cell Surface), Fig.2 (dendritic cells)].

Wong CK, Cheung PF, Ip WK et al. Intracellular signaling mechanisms regulating toll-like receptor-mediated activation of eosinophils. Am J Respir Cell Mol Biol. 2007-07-01 [PMID: 17332440]

Details:

Human blood eosinophils and neutrophils from buffy coat: For WB, Fig. 1A: TLR1 (IMG-5012), TLR5 (IMG-664), TLR6 (IMG-304A), TLR7 (IMG-540), TLR8 (IMG-321A), TLR9 (IMG-305A). For Flow (Intracellular) and Flow (Surface), Fig. 1B: TLR1 (IMG-5021), TLR2 (IMG-416C), TLR3 (IMG-315C), TLR4 (IMG-417C), TLR5 (IMG-663C), TLR6 (IMG-304C), TLR7 (IMG-665A), TLR8 (IMG-321C), TLR9 (IMG-305C).



Pegu A, Qin S, Fallert Junecko BA et al. Human lymphatic endothelial cells express multiple functional TLRs. J Immunol. 2008-03-01 [PMID: 18292566]

Details:

Antibodies cited [Flow (Cell surface) and Flow (Intracellular), human lymphatic endothelial cells, Fig. 1D]: 1. IMG-663C (TLR5-FITC) 2. IMG-304C (TLR6-FITC).

Crellin NK Garcia RV Hadisfar O et al. Human CD4+ T cells express TLR5 and its ligand flagellin enhances the suppressive capacity and expression of FOXP3 in CD4+CD25+ T regulatory cells. J Immunol. [PMID: 16339542]

Details:

Citation using the Azide and Endotoxin Free form of this antibody.

More publications at http://www.novusbio.com/NBP2-24959





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-24959

7915-TR-025	TLR5 [Unconjugated]
210-TA-005	TNF-alpha [Unconjugated]
NBP2-24827PEP	TLR5 Antibody Blocking Peptide
NBP1-97728APC	TLR5 Antibody (85B152.5) [Allophycocyanin]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-24959

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

