Product Datasheet

Aldolase C Antibody (4A9) - BSA Free NBP2-25145

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-25145

Updated 5/29/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-25145



NBP2-25145

Aldolase C Antibody (4A9) - BSA Free


Aldolase C Antibody (4A9) - BSA Free	
Product Information	
Unit Size	0.1 ml
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	4A9
Preservative	5mM Sodium Azide
Isotype	IgG1
Purity	Affinity purified
Buffer	50% PBS, 50% glycerol
Target Molecular Weight	40 kDa
Product Description	
Host	Mouse
Gene ID	230
Gene Symbol	ALDOC
Species	Human, Mouse, Rat, Porcine, Bovine
Marker	pan-Astrocyte Marker
Immunogen	The N-terminal 20 amino acids of human Aldolase C (MPHSYPALSAEQKKELSDIA). [UniProt# P09972]
Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 1:2000, Immunohistochemistry 1:1000, Immunocytochemistry/Immunofluorescence 1:1000
Application Notes	This Aldolase C (1A1) antibody is useful for Immunocytochemistry/Immunofluorescence and Western Blot, where a band can

be seen at ~40 kDa.




Images


Western Blot: Aldolase C Antibody (4A9) [NBP2-25145] - Human breast cancer MCF7 cells transfected with Aldolase C guide RNA. Western blot image submitted by a verified customer review.




Immunocytochemistry/Immunofluorescence: Aldolase C Antibody (4A9) [NBP2-25145] - A. Immunofluorescence of rat cerebellum section stained with mouse mAb to aldolase C, NBP2-25145, dilution 1:1000, in green, and costained with rabbit pAb to GFAP, dilution 1:5000 in red. In both A and B blue is Hoechst staining of nuclear DNA. Aldolase C antibody selectively labels the perikarya and dendrites of Purkinje cells, while GFAP antibody stains processes of Bergman glia and astrocytic cells. B. Immunofluorescence of E20 rat cortical culture stained with NBP2-25145, dilution 1:1,000 in green, and costained with chicken pAb to MAP2, dilution 1:10,000 in red. The aldolase C antibody labels cytosolic protein expressed in glial cells, while MAP2 antibody stains dendrites and perikarya of mature neurons.

Western Blot: Aldolase C Antibody (4A9) [NBP2-25145] - Analysis of tissue and lysates using mouse mAb to aldolase C, NBP2-25145, dilution 1:2000 in green: [1] protein standard (in red), [2] rat brain, [3] mouse brain, [4] cow cerebellum, and [5] pig hippocampus. The single band at about 40 kDa corresponds to the aldolase C protein.





Immunocytochemistry/Immunofluorescence: Aldolase C Antibody (4A9) [NBP2-25145] - View of mixed neuron/glial cultures stained with NBP2-25145 (green) and the rabbit antibody to RBFOX3/NeuN (NBP1-92716, red). NBP2-25145 reveals strong cytoplasmic staining in astrocytes, while the rabbit RBFOX3/NeuN antibody shows nuclear and distal cytoplasmic staining in neuron cells and complete absence of astrocytes. Blue is a DNA stain.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-25145

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)

NBP2-61209-5ug Recombinant Human Aldolase C Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-25145

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

