Product Datasheet

WASF1/WAVE1 Antibody NBP2-26060

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-26060

Updated 5/3/2021 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-26060



NBP2-26060

WASF1/WAVE1 Antibody

Product Information	
0.1 mg	
0.5 mg/ml	
Store at -20C. Avoid freeze-thaw cycles.	
Polyclonal	
0.02% Sodium Azide	
IgG	
Immunogen affinity purified	
Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA	
Goat	
8936	
WASF1	
Human, Mouse, Rat, Bovine, Canine	
Reported variants represent identical protein: NP_001020106.1, NP_003922.1, NP_001020107.1, NP_001020105.1	
Peptide with sequence C-RKQKQKNLDRPHEP corresponding to internal region according to NP_003922.1.	
Please note, this antibody is considered to be "Innovators Grade". Innovators Grade antibodies have been validated for limited uses and require additional characterization for most new species/applications. These antibodies are directed against antigens that have limited or no commercial antibodies available for them, or for which there are limited expression data available to us. In an effort to encourage customer feedback, Novus has made these antibodies available through our Innovators Reward program. Under this program, Novus will provide you a 50% refund on the purchased product as well as a 50% discount on a future product of equal value in exchange for your new data. Please contact us at innovators@novusbio.com for more details.	
Western Blot, Peptide ELISA	
Western Blot 1:100 - 1:2000, Peptide ELISA Detection limit 1:2000	
WB: Preliminary experiments in human brain lysates of different regions gave no specific signal but low background.	

Publications

Beli P, Mascheroni D, Xu D, Innocenti M. WAVE and Arp2/3 jointly inhibit filopodium formation by entering into a complex with mDia2. Nat Cell Biol 2008-07-01 [PMID: 18516090]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 novus@novusbio.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: technical@novusbio.com Orders: orders@novusbio.com General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-26060

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

