Product Datasheet

BLAME/SLAMF8 Antibody NBP2-26110

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-26110

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-26110



NBP2-26110


BLAME/SLAMF8 Antibody

0.4
0.1 mg
0.5 mg/ml
Store at -20C. Avoid freeze-thaw cycles.
Polyclonal
0.02% Sodium Azide
IgG
Immunogen affinity purified
Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA
Goat
56833
SLAMF8
Human
Expected from sequence similarity: Mouse, Rat, Bovine
Peptide with sequence C-TLYHSRFLGRAQ corresponding to internal region according to NP_064510.1.
Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Peptide ELISA
Western Blot 1:100 - 1:2000, Immunohistochemistry 0.5-1ug/ml, Immunohistochemistry-Paraffin, Peptide ELISA Detection limit 1:8000
Western blot: In transfected HEK293 transiently expressing Human SLAMF8 (myc and DYKDDDDK tagged), a band of approx. 45kDa is observed. No bands are observed in mock-transfected HEK293 and the same band is observed using anti-myc antibody. IHC: Paraffin embedded Human Small Intestine.




Images

Western Blot: BLAME/SLAMF8 Antibody [NBP2-26110] - HEK293 lysate (10 ug protein in RIPA buffer) overexpressing Human SLAMF8 with C-terminal MYC tag probed with NBP2-26110 (1 ug/ml) in Lane A and probed with anti-MYC Tag (1/1000) in lane C. Mock-transfected HEK293 probed with NBP2-26110 (1 ug/ml) in Lane B. Primary incubations were for 1 hour. Detected by chemiluminescence.



Immunohistochemistry-Paraffin: BLAME/SLAMF8 Antibody [NBP2-26110] - 5ug/ml staining of paraffin embedded Human Small Intestine. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



Publications

Davila S, Froeling FE, Tan A et al. New genetic associations detected in a host response study to hepatitis B vaccine. Genes Immun 2010-04-01 [PMID: 20237496]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-26110

HAF017 Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

HAF109 Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

NB410-28088-1mg Goat IgG Isotype Control

NBP2-56595PEP BLAME/SLAMF8 Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-26110

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



