# **Product Datasheet**

# TOX Antibody NBP2-27155

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-27155

Updated 10/28/2020 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-27155



# NBP2-27155


**TOX Antibody** 

TOX Antibody	
Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Protein A purified
Buffer	0.2 ml PBS and 0.05% BSA
Product Description	
Host	Rabbit
Gene ID	9760
Gene Symbol	TOX
Species	Human
Reactivity Notes	The TOX amino acid sequence used as immunogen for this antibody is 100% homologous in Gorilla, 89% homologous in Bovine, Canine, and Equine, 88% in Guinea pig, and 84% in Rabbit.
Immunogen	A portion of amino acids 125-175 from human TOX was used as the immunogen for this antibody.
Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 2-5ug/ml, Immunohistochemistry 1:200, Immunohistochemistry-Paraffin 1:200




## **Images**

Western Blot: TOX Antibody [NBP2-27155] - Analysis of TOX in Jurkat lysate in the 1) absence and 2) presence of immunizing peptide probed with 2 ug/ml of TOX antibody. Goat anti-rabbit Ig HRP secondary antibody and PicoTect ECL substrate solution were used for this test.



Immunohistochemistry-Paraffin: TOX Antibody [NBP2-27155] - Analysis of a FFPE tissue section of human tonsil using 1:200 dilution of TOX antibody. The staining was developed using HRP labeled anti-rabbit secondary antibody and DAB reagent, and nuclei of cells were counterstained with hematoxylin. Nuclear staining was observed in the germinal center cells and in the surrounding epithelial cells.





# Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

# **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-27155

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

