# **Product Datasheet**

# TRAILR1/TNFRSF10A Antibody (32A1380) - Azide and BSA Free NBP2-27350

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 11** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-27350

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-27350



# NBP2-27350


TRAILR1/TNFRSF10A Antibody (32A1380) - Azide and BSA Free	
Product Information	
Unit Size	0.1 mg
Concentration	1.0 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	32A1380
Preservative	No Preservative
Isotype	IgG1 Kappa
Purity	Protein G purified
Buffer	PBS
Product Description	
Description	Novus Biologicals Mouse TRAILR1/TNFRSF10A Antibody (32A1380) - Azide and BSA Free (NB100-56747) is a monoclonal antibody validated for use in WB, Flow and Simple Western. Anti-TRAILR1/TNFRSF10A Antibody: Cited in 11 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	8797
Gene Symbol	TNFRSF10A
Species	Human
Immunogen	This monoclonal antibody was raised against a peptide corresponding to amino acid 2 to 21 of human DR4.
Product Application Details	
Applications	Western Blot, Simple Western, Flow Cytometry, Flow (Cell Surface), Flow (Intracellular), Block/Neutralize, CyTOF-ready
Recommended Dilutions	Western Blot 2 - 4 ug/mL, Simple Western, Flow Cytometry 1 uL/1 million cells, Flow (Cell Surface) reported in scientific literature (PMID 18004565), Flow (Intracellular) reported in scientific literature (PMID 17541421), CyTOF-ready, Block/Neutralize
Application Notes	A 57 kDa band should be observed. This antibody is routinely tested be western

<b>Product Application Details</b>	
Applications	Western Blot, Simple Western, Flow Cytometry, Flow (Cell Surface), Flow (Intracellular), Block/Neutralize, CyTOF-ready
Recommended Dilutions	Western Blot 2 - 4 ug/mL, Simple Western, Flow Cytometry 1 uL/1 million cells, Flow (Cell Surface) reported in scientific literature (PMID 18004565), Flow (Intracellular) reported in scientific literature (PMID 17541421), CyTOF-ready, Block/Neutralize
Application Notes	A 57 kDa band should be observed. This antibody is routinely tested be western blot analysis. For other applications, please refer to appropriate published references for more information.  See Simple Western Antibody Database for Simple Western validation



# **Images**

Western Blot: TRAILR1/TNFRSF10A Antibody (32A1380) - Azide Free [NBP2-27350] - TRAIL R1/TNFRSF10A Antibody (32A1380) - Azide Free [NBP2-27350] - Analysis of NBP2-27350 in Daudi cell lysate using DR4 antibody at 2 ug/mL. Goat anti-mouse Ig HRP secondary antibody and PicoTect ECL substrate solution were used for this test.



Simple Western: TRAILR1/TNFRSF10A Antibody (32A1380) - Azide Free [NBP2-27350] - TRAIL R1/TNFRSF10A Antibody (32A1380) - Azide Free [NBP2-27350] - Simple Western lane view shows a specific band for TRAIL R1 in 0.5 mg/mL of Daudi lysate. This experiment was performed under reducing conditions using the 12-230 kDa separation system. \* Non-specific interaction with the 230 kDa Simple Western standard may be seen with this antibody



### **Publications**

Tsurushima H, Yuan X, Dillehay LE et al. Radioresponsive tumor necrosis factor-related apoptosis-inducing ligand (TRAIL) gene therapy for malignant brain tumors. Cancer Gene Ther. 2007-08-01 [PMID: 17541421] (Flow Cytometry Control, Human)

### Details:

DR4 NT TRAIL-R1 (IMG-141A). Flow (intracellular): Human malignant glioma (U251 & U87) cell lines exposed to varying times of radiation, Fig 4.

Liu X, Yue P, Khuri FR, Sun SY. p53 upregulates death receptor 4 expression through an intronic p53 binding site. Cancer Res. 2004-08-01 [PMID: 15289308]

Le Poole IC, ElMasri WM, Denman CJ et al. Langerhans cells and dendritic cells are cytotoxic towards HPV16 E6 and E7 expressing target cells. Cancer Immunol Immunother. 2008-06-01 [PMID: 18004565] (Flow - CS, Human)

### Details:

Flow (cell surface), human dendritic cells and langerhans cells, Fig. 4A.

Bretz JD, Mezosi E, Giordano TJ et al. Inflammatory cytokine regulation of TRAIL-mediated apoptosis in thyroid epithelial cells. Cell Death Differ. 2002-03-01 [PMID: 11859410]

Guan B, Yue P, Lotan R, Sun SY. Evidence that the human death receptor 4 is regulated by activator protein 1. Oncogene. 2002-05-09 [PMID: 12082627]

Chen X, Kandasamy K, Srivastava RK. Differential roles of RelA (p65) and c-Rel subunits of nuclear factor kappa B in tumor necrosis factor-related apoptosis-inducing ligand signaling. Cancer Res. 2003-03-01 [PMID: 12615723]

Ren YG, Wagner KW, Knee DA et al. Differential regulation of the TRAIL death receptors DR4 and DR5 by the signal recognition particle. Mol Biol Cell. 2004-11-01 [PMID: 15356269]

Park S, Cho DH, Andera L et al. Curcumin enhances TRAIL-induced apoptosis of breast cancer cells by regulating apoptosis-related proteins. Mol Cell Biochem 2013-11-01 [PMID: 23846485]

Lin YD, Chen S, Yue P et al. CAAT/enhancer binding protein homologous protein-dependent death receptor 5 induction is a major component of SHetA2-induced apoptosis in lung cancer cells. Cancer Res. 2008-07-01 [PMID: 18593935]

### Details:

Antibodies cited: [WB (human non-small cell lung cancer cell lines)]: 1. Anti-caspase-3 (IMG-144A): Figs. 1A,B; 5A. 2. DR4 (NT) TRAIL-R1 (IMG-141A): Figs. 3A.

Jane EP, Premkumar DR, Pollack IF. Bortezomib sensitizes malignant human glioma cells to TRAIL, mediated by inhibition of the NF-{kappa}B signaling pathway. Mol Cancer Ther. 2011-01-01 [PMID: 21220502]

### Details:

DR4 (IMG-141A) and DR5/TRAILR2 (IMG-120A). WB: Various human glioma cell lines treated with TRAIL: LN18, U87, LNZ308, and U373, Fig 2B & 2C.

Kroll TM, Bommiasamy H, Boissy RE et al. 4-Tertiary butyl phenol exposure sensitizes human melanocytes to dendritic cell-mediated killing: relevance to vitiligo. J Invest Dermatol. 2005-04-01 [PMID: 15816839] (FLOW)





# **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

# **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

# **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

# **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

# **Products Related to NBP2-27350**

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-43319-0.5mg Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)

NBP2-27350APC TRAILR1/TNFRSF10A Antibody (32A1380) [Allophycocyanin]

### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-27350

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

