Product Datasheet

STK38 Antibody NBP2-27552

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-27552

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-27552



NBP2-27552

STK38 Antibody


Product Information		
Unit Size	0.1 mg	
Concentration	0.5 mg/ml	
Storage	Store at -20C. Avoid freeze-thaw cycles.	
Clonality	Polyclonal	
Preservative	0.02% Sodium Azide	
Isotype	IgG	
Purity	Immunogen affinity purified	
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA	
Product Description		
Description	Novus Biologicals Goat STK38 Antibody (NBP2-27552) is a polyclonal antibody validated for use in WB and ELISA. Anti-STK38 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.	

Description	Novus Biologicals Goat STK38 Antibody (NBP2-27552) is a polyclonal antibody validated for use in WB and ELISA. Anti-STK38 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.	
Host	Goat	
Gene ID	11329	
Gene Symbol	STK38	
Species	Human, Rat	
Specificity/Sensitivity	This antibody is NOT expected to cross-react with STK38L (GeneID 23012).	
Immunogen	Peptide with sequence C-KPTVATSNHPET corresponding to C-Terminus (near) according to NP_009202.1.	

Product Application Details	
Applications	Western Blot, Peptide ELISA
Recommended Dilutions	Western Blot 0.5 - 2 ug/ml, Peptide ELISA Detection limit 1:32000
Application Notes	WB: Approx. 55 kDa band observed in human and rat spleen lysates (calculated MW of 54.2 kDa band according to NP_009202.1).

Images

Western Blot: STK38 Antibody [NBP2-27552] - NBP2-27552 (0.5ug/ml) staining of Human Spleen lysate (35ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.



Publications

Kohler RS, Schmitz D, Cornils H et al. Differential NDR/LATS interactions with the human MOB family reveal a negative role for human MOB2 in the regulation of human NDR kinases. Mol Cell Biol 2010-09-01 [PMID: 20624913]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-27552

HAF017 Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

HAF109 Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

NB410-28088-1mg Goat IgG Isotype Control

H00011329-P01-10ug Recombinant Human STK38 GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-27552

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



