

# Product Datasheet

## Human Breast Tissue Lysate (Adult Normal) NBP2-28045

Unit Size: 0.1 mg

Store at -80C. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP2-28045](http://www.novusbio.com/NBP2-28045)

Updated 2/12/2018 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP2-28045](http://www.novusbio.com/reviews/destination/NBP2-28045)



**NBP2-28045**

## Human Breast Tissue Lysate (Adult Normal)

Product Information	
Unit Size	0.1 mg
Concentration	1 mg/ml
Storage	Store at -80C. Avoid freeze-thaw cycles.

Product Description	
Species	Human
Specificity/Sensitivity	Sex:Female Age :48 Diagnosis:Infiltrating ductal carcinoma Grade:2 Stage:IIIB TNM:T4bN1M0
Immunogen	Clinical Tissue Human Breast Normal Tissue Lysate
Preparation Method	Tissue specimens are homogenized in modified RIPA buffer to obtain the soluble proteins, and centrifuged to clarify. The pellet was further extracted with a second buffer to obtain the less soluble protein fraction. The lysate solution may appear turbid at cold temperatures due to insolubility of buffer components. The solution should clear upon warming to room temperature.
Notes	The vial is provided with a 10% overfill. Maximum recovery can be obtained by centrifuging the vial briefly to collect any solution on the cap and tube sides.
Lysate Type	Tissue
Lysate Tissue	Breast
Lysate Tissue Condition	Normal
Lysate Life Stage	Adult

Product Application Details	
Application Notes	These lysates are proteomic discovery tools.Researchers should validate and optimize for individual use. Potential applications MAY include WB, immunoprecipitation, protein-protein interactions, ligand binding, ELISA. Note: For use in 1D and 2D gel electrophoresis, the addition of a denaturing gel loading buffer with reducing agents may be required.

**Images**

## Human Breast Tissue Lysate (Adult Normal) [NBP2-28045]

Location:	Left breast.			
Gross findings:	Tumor size 5.0 cm, ill demarcated. Cut section firm, brown/tan.			
Histologic pattern:	Cell distribution:	+/-	Structure / Pattern:	+/-
	Diffuse	+	Streaming	-
	Mosaic	-	Storiform	-
	Necrosis	+	Fibrosis	-
	Lymphocytic infiltration	+	Falsifying	-
	Vascular invasion	-	Cystic degeneration	-
	Clustered	+	Bleeding	-
	Axillary formation	-	Mixed change	-
	Indian file	-	Psammoma body	-
Cellular differentiation:	Squamous:	+/-	Adenomatous:	+/-
	Squamous	-	Glandular cell:	+
	Spindle	-	Cell stratification	-
	Keratin	-	Secretion	-
	Desmosome	-	Intracellular vacuole	-
	Pearl	-	Glandular formation	+
			Rhoadomyblast	-
Nuclear atypia:	Nuclear Appearance:	0	I	II
	Anisonucleosis:			III
	Hyperchromatism			X
	Nuclear prominent			X
	Multinucleated giant cell:	X		
	Mitotic activity:			X
	Nuclear grade:			X

## Procedures

### Product Handling Protocol (NBP2-28045)

Lysate Preparation: Tissue specimens are homogenized in modified RIPA buffer to obtain the soluble proteins, and centrifuged to clarify. The pellet was further extracted with a second buffer to obtain the less soluble protein fraction. The lysate solution may appear turbid at cold temperatures due to insolubility of buffer components. The solution should clear upon warming to room temperature.

Extraction 1: PBS, pH 7.4 1 ug/ml Aprotinin 1 mM NaF

Modified RIPA Buffer: 1 mM EDTA 1 ug/ml Pepstatin-A 0.1% SDS

0.25% Na deoxycholate 1 ug/ml Leupeptin 1 mM PMSF

1 mM Na<sub>3</sub>VO<sub>4</sub>

Extraction 2: PBS, pH 7.4, 5.0 M Urea, 2.0 M Thiourea, 50mM DTT, 0.1% SDS





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA

Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
novus@novusbio.com

### **Novus Biologicals Canada**

461 North Service Road West, Unit B37  
Oakville, ON L6M 2V5  
Canada

Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada@novusbio.com

### **Novus Biologicals Europe**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: technical@novusbio.com  
Orders: orders@novusbio.com  
General: novus@novusbio.com

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Lysates are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP2-28045](http://www.novusbio.com/reviews/submit/NBP2-28045)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

