Product Datasheet

PLD5 Antibody (RB29209) NBP2-30004

Unit Size: 0.4 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.



Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-30004

Updated 8/5/2019 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-30004



NBP2-30004

PLD5 Antibody (RB29209)

Product InformationUnit Size0.4 mlConcentration0.26 mg/mlStorageStore at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.ClonalityPolyclonalCloneRB29209Preservative0.09% Sodium AzideIsotypeIgGPurityProtein A purifiedBufferPBSTarget Molecular Weight61.312 kDaProduct Description200150HostRabbitGene ID200150SpeciesHumanImmunogenThis PLD5 antibody is generated from rabbits immunized with a KLH conjugated synthetic petide between 508-536 amino acids from the C-terminal region of human PLD5.Product Application DetailsWestern Blot, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1:1000, Immunohistochemistry 1:10-1:500, Paraffin 1:10 - 1:50		
Concentration0.26 mg/mlStorageStore at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.ClonalityPolyclonalCloneRB29209Preservative0.09% Sodium AzideIsotypeIgGPurityProtein A purifiedBufferPBSTarget Molecular Weight61.312 kDaProduct DescriptionEabbitHostRabbitGene ID200150Gene SymbolPLD5SpeciesHumanImmunogenThis PLD5 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 508-536 amino acids from the C-terminal region of human PLD5.Product Application DetailsWestern Blot, Immunohistochemistry/Immunofiluorescence, Immunohistochemistry/Immunofiluorescence, Immunohistochemistry/Immunofiluorescence, Itil-1:500, Immunohistochemistry/Immunofiluorescence, Itil-1:500, Immunohistochemistry/Immunofiluorescence, Itil-1:500, Immunohistochemistry/Immunofiluorescence, Itil-1:500, Immunohistochemistry/Immunofiluorescence, Itil-1:500, Immunohistochemistry/Immunofiluorescence, Itil-1:500, Immunohistochemistry/Immunofiluorescence, Itil-1:500, Immunohistochemistry/Immunofiluorescence, Itil-1:500, Immunohistochemistry/Immunofiluorescence, Itil-1:500, Immunohistochemistry-Paraffin	Product Information	
StorageStore at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.ClonalityPolyclonalCloneRB29209Preservative0.09% Sodium AzideIsotypeIgGPurityProtein A purifiedBufferPBSTarget Molecular Weight61.312 kDaProduct DescriptionExplored StateHostRabbitGene ID200150Gene SymbolPLD5SpeciesHumanImmunogenThis PLD5 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 508-536 amino acids from the C-terminal region of human PLD5.Product Application DetailsWestern Blot, Immunohistochemistry/Immunofluorescence, Immunohistochemistry I:10-1:500, Immunopturorescence I:10 - 1:50, Immunohistochemistry-	Unit Size	0.4 ml
cycles.ClonalityPolyclonalCloneRB29209Preservative0.09% Sodium AzideIsotypeIgGPurityProtein A purifiedBufferPBSTarget Molecular Weight61.312 kDaProduct Description200150Gene ID200150Gene SymbolPLD5SpeciesHumanImmunogenThis PLD5 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 508-536 amino acids from the C-terminal region of human PLD5.Product Application DetailsWestern Blot, Immunocytochemistry/Immunofluorescence, Immunohistochemistry 1:10-1:500, Immunohistochemistry 1:10-1:500, Immunohistochemistry/Immunofluorescence 1:10 - 1:50, Immunohistochemistry/Immunofluorescen	Concentration	0.26 mg/ml
CloneRB29209Preservative0.09% Sodium AzideIsotypeIgGPurityProtein A purifiedBufferPBSTarget Molecular Weight61.312 kDaProduct Description200150HostRabbitGene ID200150Gene SymbolPLD5SpeciesHumanImmunogenThis PLD5 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 508-536 amino acids from the C-terminal region of human PLD5.Product Application DetailsWestern Blot, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1:1000, Immunohistochemistry-110-1:500, Immunohistochemistry-Immunofluorescence 1:10 - 1:50, Immunohistochemistry-Immunofluorescence 1:10 - 1:50, Immunohistochemistry-Immunofluorescence 1:10 - 1:50, Immunohistochemistry-Immunofluorescence	Storage	
Preservative0.09% Sodium AzidePreservative0.09% Sodium AzideIsotypeIgGPurityProtein A purifiedBufferPBSTarget Molecular Weight61.312 kDaProduct DescriptionEnd to the second	Clonality	Polyclonal
IsotypeIgGPurityProtein A purifiedBufferPBSTarget Molecular Weight61.312 kDaProduct DescriptionHostRabbitGene ID200150Gene SymbolPLD5SpeciesHumanImmunogenThis PLD5 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 508-536 amino acids from the C-terminal region of human PLD5.Product Application DetailsWestern Blot, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Inmunohistochemistry 1:10-1:500, Immunohistochemistry/Immunofluorescence 1:10 - 1:50, Immunohistochemistry/Immu	Clone	RB29209
PurityProtein A purifiedBufferPBSTarget Molecular Weight61.312 kDaProduct DescriptionKabbitHostRabbitGene ID200150Gene SymbolPLD5SpeciesHumanImmunogenThis PLD5 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 508-536 amino acids from the C-terminal region of human PLD5.Product Application DetailsWestern Blot, Immunocytochemistry/Immunofluorescence, Immunohistochemistry. Immunohistochemistry 1:10-1:500, Immunohistochemistry-Immunohistochemistry 1:10-1:500, Immunohistochemistry/Immunofluorescence 1:10 - 1:50, Immunohistochemistry-I:0-1:500, Immunohistochemistry/Immunofluorescence 1:10 - 1:50, Immunohistochemistry-Im	Preservative	0.09% Sodium Azide
BufferPBSTarget Molecular Weight61.312 kDaProduct DescriptionRabbitHostRabbitGene ID200150Gene SymbolPLD5SpeciesHumanImmunogenThis PLD5 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 508-536 amino acids from the C-terminal region of human PLD5.Product Application DetailsWestern Blot, Immunocytochemistry/Immunofluorescence, Immunohistochemistry 1:10-1:500, Immunohistochemistry 1:10-1:500, Immunohistochemistry 1:10-1:500, Immunohistochemistry/Immunofluorescence 1:10 - 1:50, Immunohistochemistry-	Isotype	IgG
Target Molecular Weight61.312 kDaProduct DescriptionHostRabbitGene ID200150Gene SymbolPLD5SpeciesHumanImmunogenThis PLD5 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 508-536 amino acids from the C-terminal region of human PLD5.Product Application DetailsWestern Blot, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry 1:10-1:500, Immunocytochemistry/Immunofluorescence 1:10 - 1:50, Immunohistochemistry-	Purity	Protein A purified
Product Description Host Rabbit Gene ID 200150 Gene Symbol PLD5 Species Human Immunogen This PLD5 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 508-536 amino acids from the C-terminal region of human PLD5. Product Application Details Western Blot, Immunocytochemistry/Immunofluorescence, Immunohistochemistry. Paraffin Recommended Dilutions Western Blot 1:1000, Immunohistochemistry 1:10-1:500, Immunohistochemistry-Immunofluorescence 1:10 - 1:50, Immunohistochemistry-	Buffer	PBS
HostRabbitGene ID200150Gene SymbolPLD5SpeciesHumanImmunogenThis PLD5 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 508-536 amino acids from the C-terminal region of human PLD5.Product Application DetailsWestern Blot, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1:1000, Immunohistochemistry 1:10-1:500, Immunofluorescence 1:10 - 1:50, Immunohistochemistry-	Target Molecular Weight	61.312 kDa
Gene ID200150Gene SymbolPLD5SpeciesHumanImmunogenThis PLD5 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 508-536 amino acids from the C-terminal region of human PLD5.Product Application DetailsWestern Blot, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1:1000, Immunohistochemistry 1:10-1:500, Immunocytochemistry/Immunofluorescence 1:10 - 1:50, Immunohistochemistry-	Product Description	
Gene SymbolPLD5SpeciesHumanImmunogenThis PLD5 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 508-536 amino acids from the C-terminal region of human PLD5.Product Application DetailsWestern Blot, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1:1000, Immunohistochemistry 1:10-1:500, Immunocytochemistry/Immunofluorescence 1:10 - 1:50, Immunohistochemistry-	Host	Rabbit
SpeciesHumanImmunogenThis PLD5 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 508-536 amino acids from the C-terminal region of human PLD5.Product Application DetailsWestern Blot, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1:1000, Immunohistochemistry 1:10-1:500, Immunocytochemistry/Immunofluorescence 1:10 - 1:50, Immunohistochemistry-	Gene ID	200150
ImmunogenThis PLD5 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 508-536 amino acids from the C-terminal region of human PLD5.Product Application DetailsWestern Blot, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1:1000, Immunohistochemistry 1:10-1:500, Immunocytochemistry/Immunofluorescence 1:10 - 1:50, Immunohistochemistry-	Gene Symbol	PLD5
synthetic peptide between 508-536 amino acids from the C-terminal region of human PLD5. Product Application Details Applications Western Blot, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:1000, Immunohistochemistry 1:10-1:500, Immunohistochemistry/Immunofluorescence 1:10 - 1:50, Immunohistochemistry-	Species	Human
ApplicationsWestern Blot, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1:1000, Immunohistochemistry 1:10-1:500, Immunocytochemistry/Immunofluorescence 1:10 - 1:50, Immunohistochemistry-	Immunogen	synthetic peptide between 508-536 amino acids from the C-terminal region of
Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:1000, Immunohistochemistry 1:10-1:500, Immunocytochemistry/Immunofluorescence 1:10 - 1:50, Immunohistochemistry-	Product Application Details	
Immunocytochemistry/Immunofluorescence 1:10 - 1:50, Immunohistochemistry-	Applications	
	Recommended Dilutions	Immunocytochemistry/Immunofluorescence 1:10 - 1:50, Immunohistochemistry-





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 novus@novusbio.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: technical@novusbio.com Orders: orders@novusbio.com General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-30004

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

