Product Datasheet

Myoferlin Antibody - BSA Free NBP2-32264

Unit Size: 100 ul

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-32264

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-32264



NBP2-32264


Myoferlin Antibody - BSA Free

| Myoferlin Antibody - BSA Free | |
|--|--|
| | |
| 100 ul | |
| 1.0 mg/ml | |
| Store at 4C. Do not freeze. | |
| Polyclonal | |
| 0.09% Sodium Azide | |
| IgG | |
| Immunogen affinity purified | |
| Tris-Citrate/Phosphate (pH 7.0 - 8.0) | |
| Product Description | |
| Novus Biologicals Rabbit Myoferlin Antibody - BSA Free (NBP2-32264) is a polyclonal antibody validated for use in WB and IP. All Novus Biologicals antibodies are covered by our 100% guarantee. | |
| Rabbit | |
| 26509 | |
| MYOF | |
| Human | |
| The immunogen this antibody was made to, maps to a region between residue 700 to 750 of human Myoferlin using the numbering given in entry NP_038479.1 (GenelD 26509). | |
| | |
| Western Blot, Immunoprecipitation | |
| Western Blot 1:1000 - 1:5000, Immunoprecipitation 2 - 10 ug/mg lysate | |
| | |




Images

Western Blot: Myoferlin Antibody [NBP2-32264] - Samples: Whole cell lysate (50 ug) prepared using NETN buffer from HeLa cells. Antibodies: Affinity purified rabbit anti-Myoferlin antibody NBP2-32264 used for WB at 0.4 ug/ml. Detection: Chemiluminescence with an exposure time of 3 minutes.



Immunoprecipitation: Myoferlin Antibody [NBP2-32264] - Samples: Whole cell lysate (0.5 or 1.0 mg per IP reaction; 20% of IP loaded) prepared using NETN buffer from HeLa cells. Antibodies: Affinity purified rabbit anti-Myoferlin antibody NBP2-32264 used for IP at 6 ug per reaction. Myoferlin was also immunoprecipitated by rabbit anti-Myoferlin antibody BL16508. For blotting immunoprecipitated Myoferlin, NBP2-32264 was used at 1 ug/ml. Detection: Chemiluminescence with an exposure time of 30 seconds.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-32264

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

H00026509-Q01-10ug Recombinant Human Myoferlin GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-32264

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

