## **Product Datasheet**

### Plasma Cell Marker Antibody (SPM310) [Alexa Fluor® 700] NBP2-34407AF700

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

G

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-34407AF700

Updated 10/23/2024 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-34407AF700



#### NBP2-34407AF700

Plasma Cell Marker Antibody (SPM310) [Alexa Fluor® 700]

|                         | , <b>-</b> -   |
|-------------------------|--|
| Product Information     |  |
| Unit Size               | 0.1 ml   |
| Concentration           | Please see the vial label for concentration. If unlisted please contact technical services.  |
| Storage                 | Store at 4C in the dark.   |
| Clonality               | Monoclonal   |
| Clone                   | SPM310   |
| Preservative            | 0.05% Sodium Azide   |
| Isotype                 | IgG2a Kappa  |
| Conjugate               | Alexa Fluor 700  |
| Purity                  | Protein A or G purified  |
| Buffer                  | 50mM Sodium Borate   |
| Product Description     |  |
| Host                    | Mouse  |
| Species                 | Human, Rat (Negative)  |
| Reactivity Notes        | Does not react with Rat.   |
| Marker                  | Plasma Cell Marker   |
| Specificity/Sensitivity | It recognizes an intra-cytoplasmic antigen, which shows a very high degree of specificity for plasma cells. This antigen is present in normal as well as neoplastic plasma cells. Plasma cells, which are large lymphocytes derived from an antigen-specific B cell, secrete antibodies and are responsible for humoral immunity. Plasma cells differentiate from B cells upon stimulation by CD4+ lymphocytes. The B cell acts as an antigen-presenting cell (APC), consuming an offending pathogen, which is taken up by the B cell by phagocytosis and broken down within proteosomes. Plasma cells contain basophilic cytoplasm; their nucleus contains heterochromatin organized in a characteristic cartwheel arrangement. This monoclonal antibody superbly recognizes normal and neoplastic plasma cells in routine formalin-fixed, paraffin-embedded tissue sections. It is of potential value in identifying myeloma or plasmacytoma in bone marrow or other tissues. It also helps differentiate lympho-plasmacytoid lymphoma from lymphocytic and follicular lymphoma. Note that this monoclonal antibody is not suitable for staining frozen tissues. |
| Immunogen               | Pancreatic cancer-related mucin  |
| a                       |  |

www.novusbio.com



|                             | Alexa Fluor (R) products are provided under an intellectual property license from<br>Life Technologies Corporation. The purchase of this product conveys to the<br>buyer the non-transferable right to use the purchased product and components<br>of the product only in research conducted by the buyer (whether the buyer is an<br>academic or for-profit entity). The sale of this product is expressly conditioned on<br>the buyer not using the product or its components, or any materials made using<br>the product or its components, in any activity to generate revenue, which may<br>include, but is not limited to use of the product or its components: (i) in<br>manufacturing; (ii) to provide a service, information, or data in return for<br>payment; (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for<br>resale, regardless of whether they are resold for use in research. For information<br>on purchasing a license to this product for purposes other than as described<br>above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad,<br>CA 92008 USA or outlicensing@lifetech.com. This conjugate is made on<br>demand. Actual recovery may vary from the stated volume of this product. The<br>volume will be greater than or equal to the unit size stated on the datasheet. |
|-----------------------------|---|
| Product Application Details |   |
| Applications                | Immunohistochemistry, Immunohistochemistry-Paraffin   |
| Recommended Dilutions       | Immunohistochemistry, Immunohistochemistry-Paraffin   |





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-34407AF700

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

