Product Datasheet

EPX Antibody (AHE-1) [DyLight 405] NBP2-34551V

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-34551V

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-34551V



NBP2-34551V

EPX Antibody (AHE-1) [DyLight 405]

Product Information Unit Size 0.1 ml Concentration Please see the vial label for concentration. If unlisted please contact services. Storage Store at 4C in the dark. Clonality Monoclonal Clone AHE-1 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate DyLight 405 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Description This conjugate is made on demand. Actual recovery may vary from volume of this product. The volume will be greater than or equal to stated on the datasheet. Host Mouse Gene ID 8288 Gene Symbol EPX Species Human Reactivity Notes Others not known. Specificity/Sensitivity Peripheral blood granulocytes are classified into neutrophils, basop eosinophils according to the staining characteristics of their cytopla granules. Granule proteins are released by physiologic and pharma stimuli and play important roles in both normal and pathological hos responses. Eosinophil major basic protein and eosinophil, and play important roles in both normal and pathological hos responses. Eosinophil major basic protein and eosinophil peroxidas granule proteins specific to the eosinophil. AHE-1 recognizes huma	ct technical	
Concentration Please see the vial label for concentration. If unlisted please contact services. Storage Store at 4C in the dark. Clonality Monoclonal Clone AHE-1 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate DyLight 405 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Description This conjugate is made on demand. Actual recovery may vary from volume of this product. The volume will be greater than or equal to stated on the datasheet. Host Mouse Gene ID 3288 Gene Symbol EPX Species Human Reactivity Notes Others not known. Peripheral blood granulocytes are classified into neutrophils, basop eosinophils according to the staining characteristics of their cytopla granules. Granule proteins are released by physiological and pharma stimuli and play important roles in both normal and pathological hos responses. Eosinophil major basic protein and eosinophil peroxidas granule proteins specific to the eosinophil, AHE-1 recognizes huma	ct technical	
Storage Store at 4C in the dark. Clonality Monoclonal Clone AHE-1 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate DyLight 405 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Description This conjugate is made on demand. Actual recovery may vary from volume of this product. The volume will be greater than or equal to stated on the datasheet. Host Mouse Gene ID 8288 Gene Symbol EPX Species Human Reactivity Notes Others not known. Specificity/Sensitivity Peripheral blood granulocytes are classified into neutrophils, basop eosinophils according to the staining characteristics of their cytoplar granules. Granule proteins are released by physiologic and pharma stimuli and play important roles in both normal and pathological hos responses. Eosinophil major basic protein and eosinophil peroxidas granule proteins specific to the eosinophil. AHE-1 recognizes huma	ct technical	
Clonality Clone AHE-1 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate DyLight 405 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description This conjugate is made on demand. Actual recovery may vary from volume of this product. The volume will be greater than or equal to stated on the datasheet. Host Mouse Gene ID 8288 Gene Symbol EPX Species Human Reactivity Notes Others not known. Peripheral blood granulocytes are classified into neutrophils, basop eosinophils according to the staining characteristics of their cytoplar granules. Granule proteins are released by physiologic and pharma stimuli and play important roles in both normal and pathological hos responses. Eosinophil major basic protein and eosinophil peroxidas granule proteins specific to the eosinophil. AHE-1 recognizes human		
Clone AHE-1 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate DyLight 405 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Description This conjugate is made on demand. Actual recovery may vary from volume of this product. The volume will be greater than or equal to stated on the datasheet. Host Mouse Gene ID 8288 Gene Symbol EPX Species Human Reactivity Notes Others not known. Specificity/Sensitivity Peripheral blood granulocytes are classified into neutrophils, basop eosinophils according to the staining characteristics of their cytoplat granules. Granule proteins are released by physiologic and pharma stimule and play important roles in both normal and pathological hos responses. Eosinophil major basic protein and eosinophil peroxidas granule proteins specific to the eosinophil. AHE-1 recognizes huma		
Preservative Isotype IgG1 Kappa Conjugate DyLight 405 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description This conjugate is made on demand. Actual recovery may vary from volume of this product. The volume will be greater than or equal to stated on the datasheet. Host Mouse Gene ID 8288 Gene Symbol EPX Species Human Reactivity Notes Others not known. Specificity/Sensitivity Peripheral blood granulocytes are classified into neutrophils, basop eosinophils according to the staining characteristics of their cytoplas granules. Granule proteins are released by physiologic and pharma stimuli and play important roles in both normal and pathological hos responses. Eosinophil major basic protein and eosinophil peroxidas granule proteins specific to the eosinophil. AHE-1 recognizes huma		
Isotype Conjugate DyLight 405 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Description This conjugate is made on demand. Actual recovery may vary from volume of this product. The volume will be greater than or equal to stated on the datasheet. Host Mouse Gene ID 8288 Gene Symbol EPX Species Human Reactivity Notes Others not known. Specificity/Sensitivity Peripheral blood granulocytes are classified into neutrophils, basop eosinophils according to the staining characteristics of their cytoplar granules. Granule proteins are released by physiologic and pharma stimuli and play important roles in both normal and pathological hos responses. Eosinophil major basic protein and eosinophil peroxidas granule proteins specific to the eosinophil. AHE-1 recognizes huma		
Conjugate Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description This conjugate is made on demand. Actual recovery may vary from volume of this product. The volume will be greater than or equal to stated on the datasheet. Host Mouse Gene ID 8288 Gene Symbol EPX Species Human Reactivity Notes Others not known. Peripheral blood granulocytes are classified into neutrophils, basop eosinophils according to the staining characteristics of their cytoplar granules. Granule proteins are released by physiologic and pharma stimuli and play important roles in both normal and pathological hos responses. Eosinophil major basic protein and eosinophil peroxidas granule proteins specific to the eosinophil. AHE-1 recognizes huma		
Purity Buffer 50mM Sodium Borate Product Description This conjugate is made on demand. Actual recovery may vary from volume of this product. The volume will be greater than or equal to stated on the datasheet. Host Mouse Gene ID 8288 Gene Symbol EPX Species Human Reactivity Notes Others not known. Specificity/Sensitivity Peripheral blood granulocytes are classified into neutrophils, basop eosinophils according to the staining characteristics of their cytoplar granules. Granule proteins are released by physiologic and pharma stimuli and play important roles in both normal and pathological hos responses. Eosinophil major basic protein and eosinophil peroxidas granule proteins specific to the eosinophil. AHE-1 recognizes huma		
Buffer 50mM Sodium Borate Product Description This conjugate is made on demand. Actual recovery may vary from volume of this product. The volume will be greater than or equal to stated on the datasheet. Host Mouse Gene ID 8288 Gene Symbol EPX Species Human Reactivity Notes Others not known. Specificity/Sensitivity Peripheral blood granulocytes are classified into neutrophils, basop eosinophils according to the staining characteristics of their cytoplate granules. Granule proteins are released by physiologic and pharma stimuli and play important roles in both normal and pathological hos responses. Eosinophil major basic protein and eosinophil peroxidas granule proteins specific to the eosinophil. AHE-1 recognizes huma		
Product Description This conjugate is made on demand. Actual recovery may vary from volume of this product. The volume will be greater than or equal to stated on the datasheet. Host Mouse Gene ID 8288 Gene Symbol EPX Species Human Reactivity Notes Others not known. Specificity/Sensitivity Peripheral blood granulocytes are classified into neutrophils, basop eosinophils according to the staining characteristics of their cytoplating granules. Granule proteins are released by physiologic and pharma stimuli and play important roles in both normal and pathological hos responses. Eosinophil major basic protein and eosinophil peroxidas granule proteins specific to the eosinophil. AHE-1 recognizes huma		
This conjugate is made on demand. Actual recovery may vary from volume of this product. The volume will be greater than or equal to stated on the datasheet. Host Mouse Gene ID 8288 Gene Symbol EPX Species Human Others not known. Specificity/Sensitivity Peripheral blood granulocytes are classified into neutrophils, basop eosinophils according to the staining characteristics of their cytoplating granules. Granule proteins are released by physiologic and pharma stimuli and play important roles in both normal and pathological hos responses. Eosinophil major basic protein and eosinophil peroxidas granule proteins specific to the eosinophil. AHE-1 recognizes human		
volume of this product. The volume will be greater than or equal to stated on the datasheet. Host Mouse Gene ID 8288 Gene Symbol EPX Species Human Reactivity Notes Others not known. Specificity/Sensitivity Peripheral blood granulocytes are classified into neutrophils, basop eosinophils according to the staining characteristics of their cytoplat granules. Granule proteins are released by physiologic and pharma stimuli and play important roles in both normal and pathological hos responses. Eosinophil major basic protein and eosinophil peroxidas granule proteins specific to the eosinophil. AHE-1 recognizes huma	Product Description	
Gene Symbol EPX Species Human Reactivity Notes Others not known. Peripheral blood granulocytes are classified into neutrophils, basop eosinophils according to the staining characteristics of their cytoplas granules. Granule proteins are released by physiologic and pharma stimuli and play important roles in both normal and pathological hos responses. Eosinophil major basic protein and eosinophil peroxidas granule proteins specific to the eosinophil. AHE-1 recognizes human		
Gene Symbol EPX Species Human Cothers not known. Specificity/Sensitivity Peripheral blood granulocytes are classified into neutrophils, basop eosinophils according to the staining characteristics of their cytoplas granules. Granule proteins are released by physiologic and pharma stimuli and play important roles in both normal and pathological hos responses. Eosinophil major basic protein and eosinophil peroxidas granule proteins specific to the eosinophil. AHE-1 recognizes huma		
Species Human Others not known. Specificity/Sensitivity Peripheral blood granulocytes are classified into neutrophils, basop eosinophils according to the staining characteristics of their cytoplas granules. Granule proteins are released by physiologic and pharma stimuli and play important roles in both normal and pathological hos responses. Eosinophil major basic protein and eosinophil peroxidas granule proteins specific to the eosinophil. AHE-1 recognizes human		
Reactivity Notes Others not known. Peripheral blood granulocytes are classified into neutrophils, basop eosinophils according to the staining characteristics of their cytoplas granules. Granule proteins are released by physiologic and pharma stimuli and play important roles in both normal and pathological hos responses. Eosinophil major basic protein and eosinophil peroxidas granule proteins specific to the eosinophil. AHE-1 recognizes huma		
Specificity/Sensitivity Peripheral blood granulocytes are classified into neutrophils, basop eosinophils according to the staining characteristics of their cytoplas granules. Granule proteins are released by physiologic and pharma stimuli and play important roles in both normal and pathological hos responses. Eosinophil major basic protein and eosinophil peroxidas granule proteins specific to the eosinophil. AHE-1 recognizes huma		
eosinophils according to the staining characteristics of their cytoplas granules. Granule proteins are released by physiologic and pharma stimuli and play important roles in both normal and pathological hos responses. Eosinophil major basic protein and eosinophil peroxidas granule proteins specific to the eosinophil. AHE-1 recognizes huma		
granule protein specific to eosinophils. It does not cross-react with emajor basic protein, elastase, cathepsin G, esterase N, thrombin, placed kallikrein, lactoferrin, or transferrin. This monoclonal antibody stains only and does not stain other peripheral blood cells, including platel neutrophils, monocytes, lymphocytes or red blood cells. Human EP product can form a tetramer of two light chains and two heavy chair peroxidase family members include myeloperoxidase (MPO), lactor (LPO), and thyroid peroxidase (TPO).	ssmic acologic st immune se (EPX) are an EPX, a eosinophil blasmin, s eosinophils lets, PX gene ns. Other peroxidase	
Immunogen Human eosinophils from a patient with hypereosinophilic syndrome P11678)	(Uniprot:	
Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its separate and the separate s		

Product Application Details	
Applications	ELISA, CyTOF-ready
Recommended Dilutions	ELISA, CyTOF-ready





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-34551V

NBP1-43319V-0.5ml Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1) [DyLight 405]

H00008288-P01-2ug Recombinant Human EPX GST (N-Term) Protein

210-TA-005 TNF-alpha [Unconjugated]

NBP3-18715 Human EPX ELISA Kit (Colorimetric)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-34551V

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

