Product Datasheet

MAGEA1 Antibody (SPM282) [DyLight 550] NBP2-34754R

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-34754R

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-34754R



NBP2-34754R

MAGEA1 Antibody (SPM282) [DyLight 550]

Product Information Unit Size 0.1 ml Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Clonality Monoclonal Clone SPM282 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate DyLight 550 Purity Protein A or G purified Buffer SomM Sodium Borate Product Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 4100 Gene Symbol MAGEA1 Specificity/Sensitivity Protein antigenant malignant neoplasms carry rejection antigens that are recognized by the patients' autologous, tumor of mane neoplasms of various bistological types (melanoma, associated antigen, (varian), edited and specific, cytolytic, CDB+ T tymphocyte clones, Cast, asd, the encoded and specific, cytolytic, CDB+ T tymphocyte clones, cast, asd, the encoded and specific, cytolytic, CDB+ T tymphocyte clones, cast, asd, the encoded and specific, cytolytic, CDB+ T tymphocyte clones, cast, asd, the encoded and specific, cytolytic, CDB+ T tymphocyte clones, cast, asd, and on anonenass act and trean ceell carcinomas) and not on ormal		9
Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Clonality Monoclonal Clone SPM282 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate DyLight 550 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 4100 Gene Symbol MAGEA1 Specificity/Sensitivity Recognizes a protein of 42-46kDa, identified MAGEA1 (MAGE-1). This monoclonal antibody does not cross-react with MAGE-2, -3, -4, -6, -9, -10, -0, -12 protein. Human malignant neoplasms carry rejection antigens that are recognized by the patients' autologous. turnor directed and specific, cytolytic, CD8+ T lymphocyte clones (CTL). The MAGE family of genes codes an important group of antigens. The under show and primary glial brain tumors express common melanoma associated antigens (MAAS). Because MAGEA1 is expressed on a significant proportion of human neoplasms of various histological types (melanoma, brain tumors of glial origin, neuroblastoma, non-small cell lung cancer, breast, gastric, colorectal, ovarian, renal cell carcinomas) an	Product Information	
services. Storage Store at 4C in the dark. Clonality Monoclonal Clone SPM282 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate DyLight 550 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Description Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 4100 Gene Symbol MAGEA1 Species Human, Rat, Canine Specificity/Sensitivity Recognizes a protein of 42-46kDa, identified MAGEA1 (MAGE-1). This monoclonal antibody does not cross-react with MAGE-2, 3, 4, -6, 9, -10, -or -12 protein. Human malignant neoplasms carry rejection antigens that are recognized by the patients' autologous, tumor directed and specific, cytolytic, CD8+ T lymphocyte clones (CTL). The MAGE family of genes codes an a minportant group of antigens. It was identified that melanomas and primary glial brain tumors express common melanoma associated antigens (MASA). Because MAGEA1 is expressed on a significant proportion of human neoplasms of various histological types (melanoma, brain tumors of glial origin, neuroblastoma, non-small cell lung cancer, breast, gastric, colorect1, ovanani, neal cell carcino	Unit Size	0.1 ml
Clonality Monoclonal Clone SPM282 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate DyLight 550 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 4100 Gene Symbol MAGEA1 Specificity/Sensitivity Recognizes a protein of 42-46kDa, identified MAGEA1 (MAGE-1). This monoclonal antibody does not cross-react with MAGE-2, -3, -4, -6, -9, -10, -or -12 monoclonal antibody does not cross-react with MAGE-2, -3, -4, -6, -9, -10, -or -12 monoclonal antibody does not cross-react with MAGE-2, -3, -4, -6, -9, -10, -or -12 monoclonal antibody does not cross-react with MAGE-2, -3, -4, -6, -9, -10, -or -12 monoclonal antibody does not cross-react with MAGE-2, -3, -4, -6, -9, -10, -or -12 monoclonal antibody does not cross-react with MAGE-2, -3, -4, -6, -9, -10, -or -12 monoclonal antibody does not cross-react with MAGE-2, -3, -4, -6, -9, -10, -or -12 monoclonal antibody does not cross-react with MAGE-2, -3, -4, -6, -9, -10, -or -12 monoclonal antibody does not cross-react with MAGE-2, -3, -4, -6, -9, -10, -or -12 monoclonal antibody does not cross-react with MAGE-2, -3, -4, -6, -9, -10, -or -12 monoclonal antibody does not cross-react with MAGE-2, -3, -4, -6, -9, -10, -or -12 monoclonat	Concentration	
Clone SPM282 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate DyLight 550 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 4100 Gene Symbol MAGEA1 Species Human, Rat, Canine Specificity/Sensitivity Recognizes a protein of 42-46kDa, identified MAGEA1 (MAGE-1). This monoclonal anitobdy does not cross-react with MAGE-2, -3, -4, -6, -9, -10, -or -12 protein. Human malignant neoplasms carry rejection antigens that are recognized by the patients' autologous, turnor directed and specific, cytolytic, CD8+ T lymphocyte clones (CTL). The MAGE family of genes codes an important group of antigens. It was identified that melanomas and primary glial brain tumors express commo melanom associated antigen (MAAS). Because MAGEA1 is expressed on a significant proportion of human neoplasms of various histological types (melanoma, brain tumors of glial origin, neuroblastoma, non-small cell lung cancer, breast, gastric, colorectal, ovarian, renal cell carcinomas) and not on normal tissues, the encoded antigen may serve as a marker of early detection and target for cancer immunotherapy. Immunogen Human MAGEA1 full length recombinant p	Storage	Store at 4C in the dark.
Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate DyLight 550 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description This conjugate is made on demand. Actual recovery may vary from the stated on the datasheet. Host Mouse Gene ID 4100 Gene Symbol MAGEA1 Species Human, Rat, Canine Specificity/Sensitivity Recognizes a protein of 42-46kDa, identified MAGEA1 (MAGE-1). This monoclonal antibody does not cross-react with MAGE-2, -3, -4, -6, -0, -0, -0, -0, -12 protein. Human malignant neoplasms carry rejection antigens that are recognized by the patients' autologous, tumor directed and specific, cylolytic, CD8+T i ymphocyte clones (CTL). The MAGE family of genes codes an important group of antigens. It was identified that melanomas and primary glial brain tumors express commo melanoma associated antigen genes. Immunogen Human MAGEA1 is expressed on a significant proportion of human neoplasms of various histological types (melanoma, brain tumors of glial origin, neurobastoma, non-small cell lung cancer, breast, gastric, colorectal, ovarian, renal cell carcinomas) and not on onrmal tissues, the encoded antigen may serve as a mirker of early detection and target for cancer immunohistochemistry/ mmunofluorescence, Immunohistochemistry, Immunohistochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry/ Paraffin, CyTOF-ready Product Application Details <td< th=""><th>Clonality</th><th>Monoclonal</th></td<>	Clonality	Monoclonal
Isotype IgG1 Kappa Conjugate DyLight 550 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 4100 Gene Symbol MAGEA1 Species Human, Rat, Canine Specificity/Sensitivity Recognizes a protein of 42-46kDa, identified MAGEA1 (MAGE-1). This monoclonal antibody does not cross-react with MAGE-2, -3, -4, -6, -9, -10, - or -12 protein. Human malignant neoplasms carry rejection antigens that are recognized by the patients' autologous, tumor directed and specific, cytolytic, CD8+T lymphocyte clones (CTL). The MAGE family of genes codes an important group of antigens. It was identified that melanoms and primary glial brain tumors express dom normal tissues, the encoded antigen (MAAS). Because MAGEA1 is expressed on a significant proportion of human neoplasms of various histological types (melanoma, brain tumors of glial origin, neuroblastoma, nor-small cell lung cancer, breast, gastric, colorectal, ovarian, renal cell carcinomas) and nor normal tissues, the encoded antigen may serve as a marker of early detection and target for cancer immunotherapy. Immunogen Human MAGEA1 full length recombinant protein (Uniprot: P43355) Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. <t< th=""><th>Clone</th><th>SPM282</th></t<>	Clone	SPM282
Conjugate DyLight 550 Purity Protein A or G purified Buffer S0mM Sodium Borate Product Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 4100 Gene Symbol MAGEA1 Species Human, Rat, Canine Specificity/Sensitivity Recognizes a protein of 42-46kDa, identified MAGEA1 (MAGE-1). This monoclonal antibody does not cross-react with MAGE-2, -3, -4, -6 -9, -10, -or -12 protein. Human malignant neoplasms cary rejection antigens that are recognized by the patients' autologous, tumor directed and specific, cytolytic, CDB+ T lymphocyte clones (CTL). The MAGE family of genes codes an important group of antigens. It was identified that melanomas and primary glial brain tumors express common melanoma associated antigens (MAAs). Because MAGEA1 is expressed on a significant proportion of human neoplasms of various histological types (melanoma, brain tumors of glial origin, neuroblastoma, non-small cell lung cancer, breast, gastric, colorectal, ovarian, renal cell carcinomas) and not on normal tissues, the encoded antigen my serve as a marker of early detection and target for cancer immunotherapy. Immunogen Human MAGEA1 full length recombinant protein (Uniprot: P43355) Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application De	Preservative	0.05% Sodium Azide
Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 4100 Gene Symbol MAGEA1 Species Human, Rat, Canine Specificity/Sensitivity Recognizes a protein of 42-46kDa, identified MAGEA1 (MAGE-1). This monoclonal antibody does not cross-react with MAGE-2, -3, -4, -6, -9, -10, -or -12 protein. Human malignant neoplasms carry rejection antigens that are recognized by the patients' autologous, tumor directed and specific, cytolytic, CD8+ T lymphocyte clones (CTL). The MAGE family of genes codes an important group of antigens. It was identified that melanomas and primary glial brain tumors express common melanoma associated antigens (MAAs). Because MAGEA1 is expressed on a significant proportion of human neoplasms of various histological types (melanoma, brain tumors of glial origin, neuroblastoma, non-small cell lung cancer, breast, gastric, colorectal, ovarian, renal cell carcinomas) and not on normal tissues, the encoded antigen may serve as a marker of early detection and target for cancer immunotherapy. Immunogen Human MAGEA1 full length recombinant protein (Uniprot: P43355) Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Flow Cytometry, Flow (Intracellular), Immunohisto	Isotype	IgG1 Kappa
Buffer 50mM Sodium Borate Product Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 4100 Gene Symbol MAGEA1 Species Human, Rat, Canine Specificity/Sensitivity Recognizes a protein of 42-46kDa, identified MAGEA1 (MAGE-1). This monoclonal antibody does not cross-react with MAGE-2, -3, -4, -6, -9, -10, -or -12 protein. Human malignant neoplasms carry rejection antigens that are recognized by the patients' autologous, turnor directed and specific, cytolytic, CD8+ T lymphocyte clones (CTL). The MACE family of genes codes an important group of antigens. It was identified that melanomas and primary glial brain turnors express common melanoma associated antigens (MAAS). Because MACEA1 is expressed on a significant proportion of human neoplasms of various histological types (melanoma, brain turnors of glial origin, neuroblastoma, non-small cell lung cancer, breast, gastric, colorectal, ovarian, renal cell carcinomas) and not on normal tissues, the encoded antigen may serve as a marker of early detection and target for cancer immunotherapy. Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Flow Cytometry, Flow (Intracellular), Immunohistochemistry/ Immunohistochemistry/ Immunohistochemistry/ Immunohistochemistry/ Immunohistochemistry/ Immunohistochemistry/ Immunohistochemistry/ Immunohistochemistry/ Immunohistochemistry/ Immunohistochemistry	Conjugate	DyLight 550
Product Description Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 4100 Gene Symbol MAGEA1 Species Human, Rat, Canine Specificity/Sensitivity Recognizes a protein of 42-46kDa, identified MAGEA1 (MAGE-1). This monoclonal antibody does not cross-react with MAGE-2, -3, -4, -6 -9, -10, -or -12 protein. Human malignant neoplasms carry rejection antigens that are recognized by the patients' autologous, tumor directed and specific, cytolytic, CD8+ T lymphocyte clones (CTL). The MAGE family of genes codes an important group of antigens. It was identified that melanomas and primary glial brain tumors express common melanoma associated antigens (MAAs). Because MAGEA1 is expressed on a significant proportion of human neoplasms of various histological types (melanoma, brain tumors of glial origin, neuroblastoma, non-small cell lung cancer, breast, gastric, colorectal, ovarian, renal cell carcinomas) and not on normal tissues, the encoded antigen may serve as a marker of early detection and target for cancer immunotherapy. Immunogen Human MAGEA1 full length recombinant protein (Uniprot: P43355) Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Flow Cytometry, Flow (Intracellular), Immunohistochemistry/ Immunohistochemistry/ Immunohistochemistry, Immunohistochemistry/ Immunohistochemistry, Immunohistochemis	Purity	Protein A or G purified
Description This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 4100 Gene Symbol MAGEA1 Species Human, Rat, Canine Specificity/Sensitivity Recognizes a protein of 42-46kDa, identified MAGEA1 (MAGE-1). This monoclonal antibody does not cross-react with MAGE-2, -3, -4, -6, -9, -10, -or -12 protein. Human malignant neoplasms carry rejection antigens that are recognized by the patients' autologous, tumor directed and specific, cytolytic, CD8+ T lymphocyte clones (CTL). The MAGE family of genes codes an important group of antigens. It was identified that melanomas and primary glial brain tumors express common melanoma associated antigens (MAAs). Because MAGEA1 is expressed on a significant proportion of human neoplasms of various histological types (melanoma, brain tumors of glial origin, neuroblastoma, non-small cell lung cancer, breast, gastric, colorectal, ovarian, renal cell carcinomas) and not on normal tissues, the encoded antigen may serve as a marker of early detection and target for cancer immunotherapy. Immunogen Human MAGEA1 full length recombinant protein (Uniprot: P43355) Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Flow Cytometry, Flow (Intracellular), Immunofustochemistry/Immunofluorescence, Immunohistochemistry, Immunofluorescence, Immunohistochemistry, Immunofluoreschae, Immunohistochemistry, Flow (Intracellular), Flow (Intracel	Buffer	50mM Sodium Borate
volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Host Mouse Gene ID 4100 Gene Symbol MAGEA1 Species Human, Rat, Canine Specificity/Sensitivity Recognizes a protein of 42-46kDa, identified MAGEA1 (MAGE-1). This monoclonal antibody does not cross-react with MAGE-2, -3, -4, -6, -9, -10, -or -12 protein. Human malignant neoplasms carry rejection antigens that are recognized by the patients' autologous, tumor directed and specific, cytolytic, CD8+ T lymphocyte clones (CTL). The MAGE family of genes codes an important group of antigens. It was identified that melanomas and primary glial brain tumors express common melanoma associated antigens (MAAS). Because MAGEA1 is expressed on a significant proportion of human neoplasms of various histological types (melanoma, brain tumors of glial origin, neuroblastoma, non-small cell lung cancer, breast, gastric, colorectal, ovarian, renal cell carcinomas) and not on normal tissues, the encoded antigen may serve as a marker of early detection and target for cancer immunotherapy. Immunogen Human MAGEA1 full length recombinant protein (Uniprot: P43355) Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Flow Cytometry, Flow (Intracellular), Immunohistochemistry/ Immunohistochemistry/ Immunohistochemistry, Immunohistochemistry/ Immunohistochemistry, Immunohistochemistry/ Immunohistochemistry/ Immunohistochemistry/ Immunohistochemistry.	Product Description	
Gene ID 4100 Gene Symbol MAGEA1 Species Human, Rat, Canine Specificity/Sensitivity Recognizes a protein of 42-46kDa, identified MAGEA1 (MAGE-1). This monoclonal antibody does not cross-react with MAGE-2, -3, -4, -6 -9, -10, -or -12 protein. Human malignant neoplasms carry rejection antigens that are recognized by the patients' autologous, tumor directed and specific, cytolytic, CD8+ T lymphocyte clones (CTL). The MAGE family of genes codes an important group of antigens. It was identified that melanomas and primary glial brain tumors express common melanoma associated antigens (MAAs). Because MAGEA1 is expressed on a significant proportion of human neoplasms of various histological types (melanoma, brain tumors of glial origin, neuroblastoma, non-small cell lung cancer, breast, gastric, colorectal, ovarian, renal cell carcinomas) and not on normal tissues, the encoded antigen may serve as a marker of early detection and target for cancer immunotherapy. Immunogen Human MAGEA1 full length recombinant protein (Uniprot: P43355) Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Flow Cytometry, Flow (Intracellular), Immunohistochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry.Paraffin, Flow (Intracellular),	Description	volume of this product. The volume will be greater than or equal to the unit size
Gene Symbol MAGEA1 Species Human, Rat, Canine Specificity/Sensitivity Recognizes a protein of 42-46kDa, identified MAGEA1 (MAGE-1). This monoclonal antibody does not cross-react with MAGE-2, -3, -4, -6 -9, -10, -or -12 protein. Human malignant neoplasms carry rejection antigens that are recognized by the patients' autologus, tumor directed and specific, cytolytic, CD8+ T lymphocyte clones (CTL). The MAGE family of genes codes an important group of antigens. It was identified that melanomas and primary glial brain tumors express common melanoma associated antigens (MAAs). Because MAGEA1 is expressed on a significant proportion of human neoplasms of various histological types (melanoma, brain tumors of glial origin, neuroblastoma, non-small cell lung cancer, breast, gastric, colorectal, ovarian, renal cell carcinomas) and not on normal tissues, the encoded antigen may serve as a marker of early detection and target for cancer immunotherapy. Immunogen Human MAGEA1 full length recombinant protein (Uniprot: P43355) Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Flow Cytometry, Flow (Intracellular), Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry/Immunohistochemistry, Immunohistochemistry/Immunohistochemistry/Immunohistochemistry/Immunohistochemistry/Immunofluorescence, Immunohistochemistry-Paraffin, Flow (Intracellular), Store of the monochistory/Immunofluorescence, Immunohistochemistry-Paraffin, Flow (Intracellular), Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin, Flow (Intracellular), Immunofluorescence, Immunohistochemistry-Paraffin, Flow (Intracellular), Immunofluorescence, Immunohistochemistry-Paraffi	Host	Mouse
Species Human, Rat, Canine Specificity/Sensitivity Recognizes a protein of 42-46kDa, identified MAGEA1 (MAGE-1). This monoclonal antibody does not cross-react with MAGE-2, -3, -4, -6 -9, -10, -or -12 protein. Human malignant neoplasms carry rejection antigens that are recognized by the patients' autologous, tumor directed and specific, cytolytic, CD8+ T lymphocyte clones (CTL). The MAGE family of genes codes an important group of antigens. It was identified that melanomas and primary glial brain tumors express common melanoma associated antigens (MAAs). Because MAGEA1 is expressed on a significant proportion of human neoplasms of various histological types (melanoma, brain tumors of glial origin, neuroblastoma, non-small cell lung cancer, breast, gastric, colorectal, ovarian, renal cell carcinomas) and not on normal tissues, the encoded antigen may serve as a marker of early detection and target for cancer immunotherapy. Immunogen Human MAGEA1 full length recombinant protein (Uniprot: P43355) Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Flow Cytometry, Flow (Intracellular), Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Flow (Intracellular), Flow (I	Gene ID	4100
Specificity/SensitivityRecognizes a protein of 42-46kDa, identified MAGEA1 (MAGE-1). This monoclonal antibody does not cross-react with MAGE-2, -3, -4, -6 -9, -10, -or -12 protein. Human malignant neoplasms carry rejection antigens that are recognized by the patients' autologous, tumor directed and specific, cytolytic, CD8+ T lymphocyte clones (CTL). The MAGE family of genes codes an important group of antigens. It was identified that melanomas and primary glial brain tumors express common melanoma associated antigens (MAAs). Because MAGEA1 is expressed on a significant proportion of human neoplasms of various histological types (melanoma, brain tumors of glial origin, neuroblastoma, non-small cell lung cancer, breast, gastric, colorectal, ovarian, renal cell carcinomas) and not on normal tissues, the encoded antigen may serve as a marker of early detection and target for cancer immunotherapy.ImmunogenHuman MAGEA1 full length recombinant protein (Uniprot: P43355)NotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsFlow Cytometry, Flow (Intracellular), Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunofulorescence, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Paraffin, Flow (Intracellular), Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Paraffin, Flow (Intracellular), Flow Cytometry, Immunohistochemistry, Paraffin, Flow (Intracellular), Flow Cytom	Gene Symbol	MAGEA1
monoclonal antibody does not cross-react with MAGE-2, -3, -4, -6 -9, -10, -or -12 protein. Human malignant neoplasms carry rejection antigens that are recognized by the patients' autologous, tumor directed and specific, cytolytic, CD8+ T lymphocyte clones (CTL). The MAGE family of genes codes an important group of antigens. It was identified that melanomas and primary glial brain tumors express common melanoma associated antigens (MAAs). Because MAGEA1 is expressed on a significant proportion of human neoplasms of various histological types (melanoma, brain tumors of glial origin, neuroblastoma, non-small cell lung cancer, breast, gastric, colorectal, ovarian, renal cell carcinomas) and not on normal tissues, the encoded antigen may serve as a marker of early detection and target for cancer immunotherapy.ImmunogenHuman MAGEA1 full length recombinant protein (Uniprot: P43355)NotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsFlow Cytometry, Flow (Intracellular), Immunohistochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry/ Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunofluorescence, Immunohistochemistry, Paraffin, Flow (Intracellular), Immunofluorescence, Immunohistochemistry.	Species	Human, Rat, Canine
Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Flow Cytometry, Flow (Intracellular), Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready Recommended Dilutions Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry/	Specificity/Sensitivity	monoclonal antibody does not cross-react with MAGE-2, -3, -4, -6 -9, -10, -or -12 protein. Human malignant neoplasms carry rejection antigens that are recognized by the patients' autologous, tumor directed and specific, cytolytic, CD8+ T lymphocyte clones (CTL). The MAGE family of genes codes an important group of antigens. It was identified that melanomas and primary glial brain tumors express common melanoma associated antigens (MAAs). Because MAGEA1 is expressed on a significant proportion of human neoplasms of various histological types (melanoma, brain tumors of glial origin, neuroblastoma, non-small cell lung cancer, breast, gastric, colorectal, ovarian, renal cell carcinomas) and not on normal tissues, the encoded antigen may serve as a
DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Applications Flow Cytometry, Flow (Intracellular), Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready Recommended Dilutions Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry/	Immunogen	Human MAGEA1 full length recombinant protein (Uniprot: P43355)
ApplicationsFlow Cytometry, Flow (Intracellular), Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-readyRecommended DilutionsFlow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Flow (Intracellular),	Notes	DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.
Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready Recommended Dilutions Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Flow (Intracellular),	Product Application Details	
Immunofluorescence, Immunohistochemistry-Paraffin, Flow (Intracellular),	Applications	Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin,
	Recommended Dilutions	Immunofluorescence, Immunohistochemistry-Paraffin, Flow (Intracellular),





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-34754R

NBP1-43319RMouse IgG1 Kappa Isotype Control (P3.6.2.8.1) [DyLight 550]H00004100-P01-10ugRecombinant Human MAGEA1 GST (N-Term) Protein285-IF-100IFN-gamma [Unconjugated]H00004100-Q01-10ugRecombinant Human MAGEA1 GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-34754R

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

