Product Datasheet

OSBPL11 Antibody - BSA Free NBP2-36545

Unit Size: 100 ul

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-36545

Updated 2/23/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-36545



NBP2-36545


OSBPL11 Antibody - BSA Free

Product Information Unit Size 100 ul Concentration 1.0 mg/ml Storage Store at 4C. Do not freeze. Clonality Polyclonal Preservative 0.09% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer Tris-Citrate/Phosphate (pH 7.0 - 8.0) Product Description Host Rabbit Gene ID 114885 Gene Symbol OSBPL11 Species Human Immunogen The immunogen recognized by the antibody maps to a region between residue 697 to 747 of human Oxysterol Binding Protein-Like 11 using the numbering given in entry NP_073613.2. Product Application Details Applications Western Blot 1:2000 - 1:10000, Immunoprecipitation 2 - 10 ug/mg Application Notes Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG. Validation by IP/Western Blot was performed using a 4-8% SDS-PAGE gel.	OSBPLTT Antibody - BSA Free	
Concentration 1.0 mg/ml Storage Store at 4C. Do not freeze. Clonality Polyclonal Preservative 0.09% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer Tris-Citrate/Phosphate (pH 7.0 - 8.0) Product Description Host Rabbit Gene ID 114885 Gene Symbol OSBPL11 Species Human Immunogen The immunogen recognized by the antibody maps to a region between residue 697 to 747 of human Oxysterol Binding Protein-Like 11 using the numbering given in entry NP_073613.2. Product Application Details Application Notes Western Blot, Immunoprecipitation Recommended Dilutions Western Blot 1:2000 - 1:10000, Immunoprecipitation 2 - 10 ug/mg Application Notes	Product Information	
Storage Store at 4C. Do not freeze. Clonality Polyclonal Preservative 0.09% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer Tris-Citrate/Phosphate (pH 7.0 - 8.0) Product Description Host Rabbit Gene ID 114885 Gene Symbol OSBPL11 Species Human Immunogen The immunogen recognized by the antibody maps to a region between residue 697 to 747 of human Oxysterol Binding Protein-Like 11 using the numbering given in entry NP_073613.2. Product Application Details Applications Western Blot, Immunoprecipitation Recommended Dilutions Western Blot 1:2000 - 1:10000, Immunoprecipitation 2 - 10 ug/mg Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.	Unit Size	100 ul
Clonality Polyclonal Preservative 0.09% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer Tris-Citrate/Phosphate (pH 7.0 - 8.0) Product Description Host Rabbit Gene ID 114885 Gene Symbol OSBPL11 Species Human Immunogen The immunogen recognized by the antibody maps to a region between residue 697 to 747 of human Oxysterol Binding Protein-Like 11 using the numbering given in entry NP_073613.2. Product Application Details Applications Western Blot 1:2000 - 1:10000, Immunoprecipitation 2 - 10 ug/mg Application Notes Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.	Concentration	1.0 mg/ml
Preservative D.09% Sodium Azide	Storage	Store at 4C. Do not freeze.
Isotype IgG Purity Immunogen affinity purified Buffer Tris-Citrate/Phosphate (pH 7.0 - 8.0) Product Description Host Rabbit Gene ID 114885 Gene Symbol OSBPL11 Species Human Immunogen The immunogen recognized by the antibody maps to a region between residue 697 to 747 of human Oxysterol Binding Protein-Like 11 using the numbering given in entry NP_073613.2. Product Application Details Applications Western Blot, Immunoprecipitation Recommended Dilutions Western Blot 1:2000 - 1:10000, Immunoprecipitation 2 - 10 ug/mg Application Notes Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.	Clonality	Polyclonal
Purity Immunogen affinity purified Buffer Tris-Citrate/Phosphate (pH 7.0 - 8.0) Product Description Host Rabbit Gene ID 114885 Gene Symbol OSBPL11 Species Human Immunogen The immunogen recognized by the antibody maps to a region between residue 697 to 747 of human Oxysterol Binding Protein-Like 11 using the numbering given in entry NP_073613.2. Product Application Details Applications Western Blot, Immunoprecipitation Recommended Dilutions Western Blot 1:2000 - 1:10000, Immunoprecipitation 2 - 10 ug/mg Application Notes Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.	Preservative	0.09% Sodium Azide
Buffer Tris-Citrate/Phosphate (pH 7.0 - 8.0) Product Description Host Rabbit Gene ID 114885 Gene Symbol OSBPL11 Species Human Immunogen The immunogen recognized by the antibody maps to a region between residue 697 to 747 of human Oxysterol Binding Protein-Like 11 using the numbering given in entry NP_073613.2. Product Application Details Applications Western Blot, Immunoprecipitation Recommended Dilutions Western Blot 1:2000 - 1:10000, Immunoprecipitation 2 - 10 ug/mg Application Notes Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.	Isotype	IgG
Product Description Host Rabbit Gene ID 114885 Gene Symbol OSBPL11 Species Human The immunogen recognized by the antibody maps to a region between residue 697 to 747 of human Oxysterol Binding Protein-Like 11 using the numbering given in entry NP_073613.2. Product Application Details Applications Western Blot, Immunoprecipitation Recommended Dilutions Western Blot 1:2000 - 1:10000, Immunoprecipitation 2 - 10 ug/mg Application Notes Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.	Purity	Immunogen affinity purified
Host Rabbit Gene ID 114885 Gene Symbol OSBPL11 Species Human Immunogen The immunogen recognized by the antibody maps to a region between residue 697 to 747 of human Oxysterol Binding Protein-Like 11 using the numbering given in entry NP_073613.2. Product Application Details Applications Western Blot, Immunoprecipitation Recommended Dilutions Western Blot 1:2000 - 1:10000, Immunoprecipitation 2 - 10 ug/mg Application Notes Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.	Buffer	Tris-Citrate/Phosphate (pH 7.0 - 8.0)
Gene ID 114885 Gene Symbol OSBPL11 Species Human The immunogen recognized by the antibody maps to a region between residue 697 to 747 of human Oxysterol Binding Protein-Like 11 using the numbering given in entry NP_073613.2. Product Application Details Applications Western Blot, Immunoprecipitation Western Blot 1:2000 - 1:10000, Immunoprecipitation 2 - 10 ug/mg Application Notes Application Notes Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.	Product Description	
Gene Symbol OSBPL11 Species Human The immunogen recognized by the antibody maps to a region between residue 697 to 747 of human Oxysterol Binding Protein-Like 11 using the numbering given in entry NP_073613.2. Product Application Details Applications Western Blot, Immunoprecipitation Recommended Dilutions Western Blot 1:2000 - 1:10000, Immunoprecipitation 2 - 10 ug/mg Application Notes Application Notes Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.	Host	Rabbit
Species Human The immunogen recognized by the antibody maps to a region between residue 697 to 747 of human Oxysterol Binding Protein-Like 11 using the numbering given in entry NP_073613.2. Product Application Details Applications Western Blot, Immunoprecipitation Recommended Dilutions Western Blot 1:2000 - 1:10000, Immunoprecipitation 2 - 10 ug/mg Application Notes Application Notes Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.	Gene ID	114885
Immunogen The immunogen recognized by the antibody maps to a region between residue 697 to 747 of human Oxysterol Binding Protein-Like 11 using the numbering given in entry NP_073613.2. Product Application Details Applications Western Blot, Immunoprecipitation Recommended Dilutions Western Blot 1:2000 - 1:10000, Immunoprecipitation 2 - 10 ug/mg Application Notes Application Notes Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.	Gene Symbol	OSBPL11
697 to 747 of human Oxysterol Binding Protein-Like 11 using the numbering given in entry NP_073613.2. Product Application Details Applications Western Blot, Immunoprecipitation Recommended Dilutions Western Blot 1:2000 - 1:10000, Immunoprecipitation 2 - 10 ug/mg Application Notes Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.	Species	Human
Applications Western Blot, Immunoprecipitation Western Blot 1:2000 - 1:10000, Immunoprecipitation 2 - 10 ug/mg Application Notes Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.	Immunogen	697 to 747 of human Oxysterol Binding Protein-Like 11 using the numbering
Recommended Dilutions Western Blot 1:2000 - 1:10000, Immunoprecipitation 2 - 10 ug/mg Application Notes Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.	Product Application Details	
Application Notes Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.	Applications	Western Blot, Immunoprecipitation
280 nm of 1.4 equals 1.0 mg of IgG.	Recommended Dilutions	Western Blot 1:2000 - 1:10000, Immunoprecipitation 2 - 10 ug/mg
	Application Notes	280 nm of 1.4 equals 1.0 mg of IgG.




Images

Western Blot: OSBPL11 Antibody [NBP2-36545] - Samples: Whole cell lysate (50 ug) from HeLa, 293T, and Jurkat cells prepared using NETN lysis buffer. Antibodies: Affinity purified rabbit antiORP11 antibody used for WB at 0.1 ug/ml. Detection: Chemiluminescence with an exposure time of 3 minutes.



Immunoprecipitation: OSBPL11 Antibody [NBP2-36545] - Detection of human ORP11 by western blot of immunoprecipitates. Samples: Whole cell lysate (0.5 or 1.0 mg per IP reaction; 20% of IP loaded) from 293T cells prepared using NETN lysis buffer. Antibodies: Affinity purified rabbit anti-ORP11 antibody NBP2-36545 used for IP at 6 ug per reaction. ORP11 was also immunoprecipitated by rabbit anti-ORP11 antibody NBP2-36544. For blotting immunoprecipitated ORP11, NBP2-36545 was used at 0.4 ug/ml. Detection: Chemiluminescence with an exposure time of 30 seconds.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-36545

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

H00114885-P01-10ug Recombinant Human OSBPL11 GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-36545

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

