

# Product Datasheet

## Human Follistatin Recombinant Protein NBP2-36594-5ug

Unit Size: 5 ug

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP2-36594](http://www.novusbio.com/NBP2-36594)

Updated 12/27/2022 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP2-36594](http://www.novusbio.com/reviews/destination/NBP2-36594)



**NBP2-36594-5ug****Human Follistatin Recombinant Protein**

<b>Product Information</b>	
<b>Unit Size</b>	5 ug
<b>Concentration</b>	Lyoph
<b>Storage</b>	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
<b>Reconstitution Instructions</b>	Centrifuge prior to opening. Reconstitute with sterilized PBS to a final concentration of 0.1 mg/ml. Further dilutions should be made in appropriately buffered solutions.
<b>Purity</b>	SDS-PAGE

<b>Product Description</b>	
<b>Description</b>	<p>A single glycosylated polypeptide protein corresponding to amino acids Glu22 - Cys213 of IL2RA (P01589).</p> <p><b>Source:</b> <i>Mouse myeloma cell line, NS0</i></p>
<b>Gene ID</b>	10468
<b>Gene Symbol</b>	FST
<b>Species</b>	Human
<b>Preparation Method</b>	Lyophilized from a 0.2 um filtered concentrated solution in Acetonitrile and TFA.
<b>Details of Functionality</b>	The ED50, as determined by the inhibition of Activin A-mediated erythroid differentiation of human K562 cells, is less than 0.4 mg/mL.
<b>Notes</b>	This lyophilized preparation is stable at 2-8 degrees C, but should be kept at -20 degrees C for long term storage, preferably desiccated. Upon reconstitution, the preparation is most stable at -20 to -80 degrees C, and can be stored for one week at 2-8 degrees C. For maximal stability, apportion the reconstituted preparation into working aliquots and store at -20 degrees C to -80 degrees C. Avoid repeated freeze/thaw cycles.
<b>Endotoxin Note</b>	Less than 1 EU/ug of rHuFollistatin 300 as determined by LAL method.

<b>Product Application Details</b>	
<b>Applications</b>	Functional, SDS-Page, Bioactivity
<b>Recommended Dilutions</b>	Functional, SDS-Page, Bioactivity





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-  
techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Peptides and proteins are guaranteed for 3 months from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP2-36594](http://www.novusbio.com/reviews/submit/NBP2-36594)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

