

Product Datasheet

LRRC32/GARP Antibody (GARP5) - BSA Free NBP2-37710

Unit Size: 0.1 mg

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-37710

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-37710



NBP2-37710

LRRC32/GARP Antibody (GARP5) - BSA Free

Product Information

Unit Size	0.1 mg
Concentration	1 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Monoclonal
Clone	GARP5
Preservative	15mM Sodium Azide
Isotype	IgG1
Purity	Protein A purified
Buffer	Phosphate buffered saline (PBS), pH 7.4
Target Molecular Weight	80 kDa

Product Description

Description	Novus Biologicals Mouse LRRC32/GARP Antibody (GARP5) - BSA Free (NBP2-37710) is a monoclonal antibody validated for use in WB and Flow. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	2615
Gene Symbol	LRRC32
Species	Human
Specificity/Sensitivity	Antibody recognizes GARP / LRRC32, an approximately 80 kDa glycoprotein expressed e.g. on the surface of megakaryocytes, platelets and activated Treg cells.
Immunogen	Purified human sGARP protein.


Product Application Details

Applications	Western Blot, Flow Cytometry
Recommended Dilutions	Western Blot 1-2 ug/ml, Flow Cytometry
Application Notes	Western Blot: reducing conditions

Images

Western Blot: Mouse Monoclonal LRRC32/GARP Antibody (GARP5) [NBP2-37710] - Western blotting analysis was performed on RIPA buffer extracts of thrombocytes, leukocytes, and Jurkat cells mixed with hot reducing SDS-loading buffer. Samples were resolved using 10% SDS-PAGE gel.

Nitrocellulose membrane blot was probed with mouse IgG1 monoclonal antibody GARP5 (2 ug/ml), followed by IRDye 800CW Goat-anti-Mouse IgG (green). Mouse anti-GAPDH monoclonal antibody FF26A conjugated with DyLight 680 (0.1 ug/ml), was used as the loading control (red). Multiplex fluorescent Western blot detection was performed. GARP was detected at ~80 kDa in thrombocytes.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-37710

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)
NBP2-68740PEP	LRRC32/GARP Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-37710

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

