

Product Datasheet

CD133 Antibody (3F10) NBP2-37741

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 4

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-37741

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-37741



NBP2-37741

CD133 Antibody (3F10)


Product Information	
Unit Size	0.1 ml
Concentration	This product is unpurified. The exact concentration of antibody is not quantifiable.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	3F10
Preservative	0.03% Sodium Azide
Isotype	IgG1
Purity	Unpurified
Buffer	Ascites
Target Molecular Weight	133 kDa

Product Description	
Description	Novus Biologicals Mouse CD133 Antibody (3F10) (NBP2-37741) is a monoclonal antibody validated for use in IHC, ELISA, Flow and ICC/IF. Anti-CD133 Antibody: Cited in 4 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	8842
Gene Symbol	PROM1
Species	Human
Reactivity Notes	Use in Human reported in scientific literature (PMID:33814238).
Immunogen	Synthesized peptide of human CD133.


Product Application Details	
Applications	Immunohistochemistry-Paraffin, ELISA, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Flow Cytometry 1:200 - 1:400, ELISA 1:10000, Immunohistochemistry 1:200 - 1:1000, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin 1:200-1:1000
Application Notes	Use in ICC/IF reported in scientific literature (PMID: 30739275).

Images


Immunohistochemistry-Paraffin: CD133 Antibody (3F10) [NBP2-37741] - Analysis of human esophageal cancer tissues section using mouse anti-CD133 antibody (clone 3F10). The staining was developed using HRP-conjugated secondary antibody and DAB method which followed counterstaining of nuclei with hematoxylin.




Immunohistochemistry-Paraffin: CD133 Antibody (3F10) [NBP2-37741] - Analysis of human breast cancer tissues section using mouse anti-CD133 antibody (clone 3F10). The staining was developed using HRP-conjugated secondary antibody and DAB method which followed counterstaining of nuclei with hematoxylin.




Flow Cytometry: CD133 Antibody (3F10) [NBP2-37741] - Flow cytometric analysis of Hela cells using CD133 mouse mAb (blue) and negative control (red).




ELISA: CD133 Antibody (3F10) [NBP2-37741] - Red: Control Antigen (100ng); Purple: Antigen (10ng); Green: Antigen (50ng); Blue: Antigen (100ng);



Immunocytochemistry/Immunofluorescence: CD133 Antibody (3F10) [NBP2-37741] - Upregulations of TIPRL, LC3 and CD133 in HCCs. Human tissues were stained with the indicated antibodies followed by confocal observation. The representative images were selected from normal and HCCs groups, respectively. DAPI was used for nucleus staining, and scar bars, 20 (inserted) and 100 um. Image collected and cropped by CiteAb from the following publication (<http://www.nature.com/articles/s41598-019-53191-5>) licensed under a CC-BY license.



Immunocytochemistry/ Immunofluorescence: CD133 Antibody (3F10) - BSA Free [NBP2-37741] - Significant correlations between levels of TIPRL, LC3 & CD133 in liver cancers. (a–c) The statistically significant associations between levels of TIPRL, LC3 & CD133 in each grade of liver cancers were determined by the Spearman correlation. Each dot indicates a single patient. (d) The representative images were selected from each grade of human liver cancer tissues that were stained with indicated antibodies. DAPI was used for nucleus staining, & scar bar, 100 μ m. (e) Quantitative analyses of TIPRL, LC3 & CD133 were conducted according to each grade of liver cancers. (n), the number of samples is indicated. Image collected & cropped by CiteAb from the following publication (<https://pubmed.ncbi.nlm.nih.gov/31727942>), licensed under a CC-BY license. Not internally tested by Novus Biologicals.



Publications

Jun S, Yoon H, Yoon J et al. The Human TOR Signaling Regulator Is the Key Indicator of Liver Cancer Patients' Overall Survival: TIPRL/LC3/CD133/CD44 as Potential Biomarkers for Early Liver Cancers *Cancers* 2021-06-11 [PMID: 34208132] (IF/IHC, Human)

Klose J, Schmitt A, Pernthaler J et al. Still proliferating CD44+/Ki67+ tumor cells after neoadjuvant radiochemotherapy identify rectal cancer patients with poor survival *European Journal of Surgical Oncology* 2021-03-01 [PMID: 33814238] (IHC-P, Human)

Jun SY, Jeon SJ, Yoon JY et al. The positive correlation of TIPRL with LC3 and CD133 contributes to cancer aggressiveness: potential biomarkers for early liver cancer *Sci Rep* 2019-11-14 [PMID: 31727942] (IF/IHC, Human)

Acosta, SA;Lee, JY;Nguyen, H;Kaneko, Y;Borlongan, CV; Endothelial Progenitor Cells Modulate Inflammation-Associated Stroke *Vasculome Stem Cell Rev* 2019-04-01 [PMID: 30739275] (ICC/IF, Human)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-37741

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)
NBP2-44249PEP	CD133 Antibody Blocking Peptide

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-37741

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

