Product Datasheet

dynein, cytoplasmic 2, light intermediate chain 1 Antibody - BSA Free NBP2-38008

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-38008

Updated 2/23/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-38008

NBP2-38008

dynein, cytoplasmic 2, light intermediate chain 1 Antibody - BSA Free


0.1 ml
Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Polyclonal
0.02% Sodium Azide
IgG
Immunogen affinity purified
PBS (pH 7.2) and 40% Glycerol
Rabbit
51626
DYNC2LI1
Human
Immunogen displays the following percentage of sequence identity for non- tested species: Mouse (82%), Rat (86%)
This antibody was developed against a recombinant protein corresponding to amino acids: PENDIGKLHAHSPMELWKKVYEKLFPPKSINTLKDIKDPARDPQYAENEVDEMR IQKDLELEQYKRSSSKSWKQIEL
Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:1000 - 1:2500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:1000 - 1:2500
For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation Permeabilization: Use PFA/Triton X-100.


www.novusbio.com



Images

Western Blot: dynein, cytoplasmic 2, light intermediate chain 1 Antibody [NBP2-38008] - Lane 1: Marker [kDa] 250, 130, 95, 72, 55, 36, 28, 17, 10. Lane 2: Human cell line RT-4. Lane 3: Human cell line U-251MG






staining of human cell line SH-SY5Y shows localization to cytosol.

intermediate chain 1 Antibody [NBP2-38008] - Immunofluorescent

Immunohistochemistry-Paraffin: dynein, cytoplasmic 2, light intermediate chain 1 Antibody [NBP2-38008] - Staining of human fallopian tube shows strong positivity in glandular cells.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-38008

NBP2-38008PEP	dynein, cytoplasmic 2, light intermediate chain 1 Recombinant Protein Antigen
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-38008

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

