Product Datasheet

DOCK2 Antibody - BSA Free NBP2-38303

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-38303

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-38303



NBP2-38303

DOCK2 Antibody - BSA Free

DOCK2 Antibody - BSA Free	
Product Information	
0.1 ml	
Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.	
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Polyclonal	
0.02% Sodium Azide	
IgG	
Immunogen affinity purified	
PBS (pH 7.2) and 40% Glycerol	
Product Description	
Novus Biologicals Rabbit DOCK2 Antibody - BSA Free (NBP2-38303) is a polyclonal antibody validated for use in IHC and WB. All Novus Biologicals antibodies are covered by our 100% guarantee.	
Rabbit	
1794	
DOCK2	
Human	
Immunogen displays the following percentage of sequence identity for non-tested species: Mouse (88%)	
This antibody was developed against a recombinant protein corresponding to amino acids: SVLSQMSFASQSMPTIPALALSVAGIPGLDEANTSPRLSQTFLQLSDGDKKTLT RKKVNQFFKTMLASKSAEEGKQIPDSL	
Product Application Details	
Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry	
Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunohistochemistry-Paraffin 1:200 - 1:500	
For IHC-Paraffin, HIER pH 6 retrieval is recommended.	




Images


Western Blot: DOCK2 Antibody [NBP2-38303] - Lane 1: Marker [kDa]

250, 130, 100, 70, 55, 35, 25, 15, 10


Lane 2: Human cell line HL-60




Immunohistochemistry-Paraffin: DOCK2 Antibody [NBP2-38303] - Staining in human lymph node and liver tissues using anti-DOCK2 antibody. Corresponding DOCK2 RNA-seq data are presented for the same tissues.



Immunohistochemistry-Paraffin: DOCK2 Antibody [NBP2-38303] - Staining of human liver shows low expression as expected.



Immunohistochemistry-Paraffin: DOCK2 Antibody [NBP2-38303] - Staining of human lymph node shows high expression.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-38303

NBP2-38303PEP DOCK2 Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-38303

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

