

Product Datasheet

TSG-6 Antibody NBP2-38637

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-38637

Updated 10/18/2023 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-38637



NBP2-38637**TSG-6 Antibody**


Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol

Product Description	
Host	Rabbit
Gene ID	7130
Gene Symbol	TNFAIP6
Species	Human
Immunogen	This antibody was developed against a recombinant protein corresponding to amino acids: DDPGCLADYVEIYDSYDDVHGFVGRYCGDELPDDIISTGNVMTLKFSLSDASVTA GGFQIKYVAMDPVSKSSQ


Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:50 - 1:200, Immunohistochemistry-Paraffin 1:50 - 1:200
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended.

Images


Western Blot: TSG-6 Antibody [NBP2-38637] - Analysis in human cell line PC-3 and human cell line HeLa.




Immunohistochemistry-Paraffin: TSG-6 Antibody [NBP2-38637] - Staining of human tonsil shows no positivity in lymphoid cells as expected.




Immunohistochemistry-Paraffin: TSG-6 Antibody [NBP2-38637] - Staining of human fallopian tube shows moderate positivity in plasma.



Immunohistochemistry-Paraffin: TSG-6 Antibody [NBP2-38637] - Staining of human kidney shows strong positivity in apical membrane in cells in tubules.



Immunohistochemistry-Paraffin: TSG-6 Antibody [NBP2-38637] - Staining of human testis shows weak cytoplasmic positivity in Leydig cells, as well as moderate positivity in plasma.



Publications

Eikrem OS, Strauss P, Beisland C et al. Development and confirmation of potential gene classifiers of human clear cell renal cell carcinoma using next-generation RNA sequencing. Scand J Urol 2016-12-01 [PMID: 27739342] (IF/IHC, Human)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA

Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
novus@novusbio.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada

Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: technical@novusbio.com
Orders: orders@novusbio.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-38637

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

