Product Datasheet

Teneurin-1 Antibody - BSA Free NBP2-41315

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-41315

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-41315



NBP2-41315

Teneurin-1 Antibody - BSA Free


Teneurin-1 Antibody - BSA Free	
Product Information	
Unit Size	0.1 mg
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Peptide affinity purified
Buffer	PBS
Target Molecular Weight	280 kDa
Product Description	
Description	Novus Biologicals Rabbit Teneurin-1 Antibody - BSA Free (NBP2-41315) is a polyclonal antibody validated for use in IHC, WB, ELISA and ICC/IF. Anti-Teneurin-1 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	10178
Gene Symbol	TENM1
Species	Human, Mouse, Rat
Reactivity Notes	Immunogen displays the following percentage of sequence identity for non-tested species: Chicken: (83%)
Specificity/Sensitivity	TENM1 antibody is predicted to not cross-react with other members of the TENM family.
Immunogen	Antibody was raised against an 18 amino acid peptide near the amino terminus of human TENM1. The immunogen is located within the first 50 amino acids of TENM1. Amino Acid Squence: SDESEDGRKPRQSFNSRE
Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 1 - 2 ug/mL, ELISA, Immunohistochemistry 5 ug/mL, Immunocytochemistry/ Immunofluorescence 20 ug/mL, Immunohistochemistry-



Paraffin 5 ug/ml

Images

Western Blot: Teneurin-1 Antibody [NBP2-41315] - Western blot analysis of TENM1 in human brain tissue lysate with TENM1 antibody at 1 ug/ml.



Immunoprecipitation: Teneurin-1 Antibody - BSA Free [NBP2-41315] -HINT1 exhibits isopeptidase activity. (A) HINT1 interactions with the proteins used in the study. (I) HINT1 but not its paralogs forms stable complexes with RGSZ2 proteins. (II) ICD teneurin1 interacts with HINT1 but not with GST. (III, IV) HINT1 associations with RanGAP1 & SP100 were weak or not detected. (B) HINT1 exhibits SUMO protease activity on sumoylated RanGAP1, which is regulated by calcium & CaM. (I) HINT1 (2 µM) but not SENP2 (0.3 µM) requires calcium-activated CaM (6 μM) to exhibit sumoylase activity. (II) Removal of 10 mM MgCl2 from the sumoylation buffer greatly improves Ca2+-CaM-dependent HINT1 isopeptidase activity on sumoylated RanGAP1. (III, IV) HINT1 exhibits isopeptidase activity on sumoylated RanGAP1 in the presence of increasing concentrations of CaCl2 & of CaM. Details of immunoblot detection in "Materials & Methods" section & Supplementary Figures S5 & S6. GST, glutathione S-transferase; ICD, intracellular domain; RanGAP1, Ran GTPase-activating protein 1; RGSZ2, regulator of G protein signaling 17 (Z2); SENP, sentrin-specific protease. Image collected & cropped by CiteAb from the following publication (https://pubmed.ncbi.nlm.nih.gov/31088288), licensed under a CC-BY license. Not internally tested by Novus Biologicals.

Input


WB: ICD Teneurin1 bound to HINT1, to GST

GST-HINT1 (40 kDa)


ICD Teneurin1 (37 kDa)

GST (25 kDa)

Immunocytochemistry/ Immunofluorescence: Teneurin-1 Antibody - BSA Free [NBP2-41315] - Immunofluorescence of Teneurin-1 in mouse brain tissue with Teneurin-1 antibody at 20 u/mL.



Immunohistochemistry: Teneurin-1 Antibody - BSA Free [NBP2-41315] - Immunohistochemistry of Teneurin-1 in mouse brain tissue with Teneurin-1 antibody at 5 ug/mL.



Publications

Cortes-Montero E, Rodriguez-Munoz M, Sanchez-Blazquez P, and Garzon J. The axonal motor neuropathy-related HINT1 protein is a zinc- and calmodulin-regulated cysteine SUMO protease Antioxid. Redox Signal. 2019-05-15 [PMID: 31088288] (WB, Human)





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-41315

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

H00010178-Q01-10ug Recombinant Human Teneurin-1 GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-41315

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

