

# Product Datasheet

## Glutamate Receptor 3 Antibody (Glu149.29.61) NBP2-42444

Unit Size: 100 ug

Lyophilized antibody can be kept at 4C for up to 3 months and should be kept at -20C for long-term storage. To avoid freeze-thaw cycles, reconstituted antibody should be aliquoted before freezing for short-term storage (-20C) or for long-term storage (-80C). For maximum recovery of product, centrifuge the original vial prior to removing the cap. Further dilutions can be made in assay buffer.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)


Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP2-42444](http://www.novusbio.com/NBP2-42444)

Updated 3/30/2022 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP2-42444](http://www.novusbio.com/reviews/destination/NBP2-42444)



**NBP2-42444****Glutamate Receptor 3 Antibody (Glu149.29.61)**

<b>Product Information</b>	
<b>Unit Size</b>	100 ug
<b>Concentration</b>	LYOPH mg/ml
<b>Storage</b>	Lyophilized antibody can be kept at 4C for up to 3 months and should be kept at -20C for long-term storage. To avoid freeze-thaw cycles, reconstituted antibody should be aliquoted before freezing for short-term storage (-20C) or for long-term storage (-80C). For maximum recovery of product, centrifuge the original vial prior to removing the cap. Further dilutions can be made in assay buffer.
<b>Clonality</b>	Monoclonal
<b>Clone</b>	Glu149.29.61
<b>Preservative</b>	No Preservative
<b>Reconstitution Instructions</b>	Reconstitute with 0.1 ml water.
<b>Isotype</b>	IgG2 Alpha
<b>Purity</b>	Protein G purified
<b>Buffer</b>	PBS pH7.4

<b>Product Description</b>	
<b>Host</b>	Mouse
<b>Gene ID</b>	2892
<b>Gene Symbol</b>	GRIA3
<b>Species</b>	Human, Rat, Porcine
<b>Immunogen</b>	aa372-395 for Glutamate Receptor 3 protein was used as the immunogen for this antibody.

<b>Product Application Details</b>	
<b>Applications</b>	Western Blot, ELISA, Flow Cytometry
<b>Recommended Dilutions</b>	Western Blot, Flow Cytometry 5 ug / ml, ELISA 5 ug / ml





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
novus@novusbio.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: technical@novusbio.com  
Orders: orders@novusbio.com  
General: novus@novusbio.com

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP2-42444](http://www.novusbio.com/reviews/submit/NBP2-42444)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

